Ellmax Electronics Ltd London, UK

Tel: 07986263085

Email: ellmaxelec@aol.com or ellmax@ellmaxelec.com

Web: www.ellmaxelec.com



RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON



Ritel's range of quality products feature control knobs in various sizes, designs, and colours, with full accessories such as caps, dials, and pointers. Both standard and matt finishes are available. Standard collet knobs, short knobs, double knobs with coaxial collets, push-on knobs, soft-touch knobs, conductive knobs, and 4mm terminals are included in the range. Please refer to Ritel's catalogue and website for a detailed description of the product range, including photos and technical drawings.

All the various Ritel control knob part numbers are of the form 'ab cd ef g', where 'ab' is the knob design, 'cd' is the knob size, 'ef' is the collet type, and 'g' is the colour. 'ST' is added at the end of the basic shape knob part number to form the soft-touch knob part number (see page 27). The prefix KX was used in all Ritel part numbers by Bulgin Components, who used to supply Ritel products in the UK, and this range summary uses that part number system. Ritel's knobs, accessories, and terminals are all RoHS compliant. The temperature specification for all standard Ritel parts for normal mechanical stress is -20°C to +70°C.

CONTENTS

	Page
8mm Knob	1
10mm Knob	2
13mm Knob	4
15mm Knob	6
21mm Knob	8
28mm Knob	10
36mm Knob	12
45mm Knob	14
15 mm Short Knob	15
21-36mm Short Knob	17
21-36mm Short Wing Knob	18
8-45mm Accessories, including dials, stators, and arrows	19
10, 13, 15mm Accessories (i.e. nut covers)	23
Double Knobs with coaxial collets	24
Push-on Knobs with matt finish	26
Soft-touch Knobs with matt finish, and Conductive Knobs	27
General Accessories and 4mm Terminals (10mm and 15mm)	28

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON

Collet knobs are made up of three main parts: the body, the cap, and an optional skirt such as a dial or an arrow. Collet knobs, which are available in a large variety of sizes, colours, and designs, ensure a secure mounting and are suitable for most instrument knob applications. They can be used for all standard potentiometer and switch shaft diameters, such as 3mm, 0.125 inch, 4mm, 6mm, and 0.25 inch, which are either cylindrical or with flat (i.e. D-shaped). Sizes of Ritel knobs range from body diameters of 8mm to 45mm. All standard Ritel collet knobs are mounted with screws which are a combination of ordinary one-slot screws and Phillips cross-slot screws. These screws may be tightened with either an ordinary screwdriver or a Phillips screwdriver. The cap snap fits into the top of the knob. Pictures of various control knobs with caps are shown on the front page of this range summary. Pictures and details of all the dials, stators, and arrows are shown in the section on Accessories, starting on page 19.

8mm Knob

		18573853			8mm	Knob			
J. 188			no	line	133111111111111111111111111111111111111	188	with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
\$ 310	3	KX20/08/30/1	KX20/08/30/2	KX20/08/30/3	KX20/08/30/4	KX21/08/30/1	KX21/08/30/2	KX21/08/30/3	KX21/08/30/4
standard	1/8"	KX20/08/31/1	KX20/08/31/2	KX20/08/31/3	KX20/08/31/4	KX21/08/31/1	KX21/08/31/2	KX21/08/31/3	KX21/08/31/4
	4	KX20/08/40/1	KX20/08/40/2	KX20/08/40/3	KX20/08/40/4	KX21/08/40/1	KX21/08/40/2	KX21/08/40/3	KX21/08/40/4
r og Skorans	3	KX26/08/30/1	KX26/08/30/2	KX26/08/30/3	KX26/08/30/4	KX27/08/30/1	KX27/08/30/2	KX27/08/30/3	KX27/08/30/4
matt	1/8"	KX26/08/31/1	KX26/08/31/2	KX26/08/31/3	KX26/08/31/4	KX27/08/31/1	KX27/08/31/2	KX27/08/31/3	KX27/08/31/4
1.68816	4	KX26/08/40/1	KX26/08/40/2	KX26/08/40/3	KX26/08/40/4	KX27/08/40/1	KX27/08/40/2	KX27/08/40/3	KX27/08/40/4

8868888	- 1886 - 18 88 - 1888								1111 1200 120	
8111111111				7 1 18	8mm Wi	ng Kno	b			
		det i	no	line	6 650	with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX22/08/30/1	KX22/08/30/2	KX22/08/30/3	KX22/08/30/4	KX23/08/30/1	KX23/08/30/2	KX23/08/30/3	KX23/08/30/4	
standard	1/8"	KX22/08/31/1	KX22/08/31/2	KX22/08/31/3	KX22/08/31/4	KX23/08/31/1	KX23/08/31/2	KX23/08/31/3	KX23/08/31/4	
	4	KX22/08/40/1	KX22/08/40/2	KX22/08/40/3	KX22/08/40/4	KX23/08/40/1	KX23/08/40/2	KX23/08/40/3	KX23/08/40/4	
	U. 185433						III aas			
	3	KX28/08/30/1	KX28/08/30/2	KX28/08/30/3	KX28/08/30/4	KX29/08/30/1	KX29/08/30/2	KX29/08/30/3	KX29/08/30/4	
matt	1/8"	KX28/08/31/1	KX28/08/31/2	KX28/08/31/3	KX28/08/31/4	KX29/08/31/1	KX29/08/31/2	KX29/08/31/3	KX29/08/31/4	
	4	KX28/08/40/1	KX28/08/40/2	KX28/08/40/3	KX28/08/40/4	KX29/08/40/1	KX29/08/40/2	KX29/08/40/3	KX29/08/40/4	

			Fla	at Cap f	or all 8r	nm Kno	bs	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX30/08/00/1	KX30/08/00/2	KX30/08/00/3	KX30/08/00/4	KX30/08/00/5	KX30/08/00/6	KX30/08/00/7
piairi	matt	KX30/08/10/1	KX30/08/10/2	KX30/08/10/3	KX30/08/10/4	KX30/08/10/5	KX30/08/10/6	KX30/08/10/7
with line	standard	KX30/08/01/1	KX30/08/01/2	KX30/08/01/3	KX30/08/01/4	KX30/08/01/5	KX30/08/01/6	KX30/08/01/7
with line	matt	KX30/08/11/1	KX30/08/11/2	KX30/08/11/3	KX30/08/11/4	KX30/08/11/5	KX30/08/11/6	KX30/08/11/7
with curved arrow	standard	KX30/08/02/1	KX30/08/02/2	KX30/08/02/3	KX30/08/02/4	KX30/08/02/5	KX30/08/02/6	KX30/08/02/7
with curved arrow	matt	KX30/08/12/1	KX30/08/12/2	KX30/08/12/3	KX30/08/12/4	KX30/08/12/5	KX30/08/12/6	KX30/08/12/7
with arrow	standard	KX30/08/03/1	KX30/08/03/2	KX30/08/03/3	KX30/08/03/4	KX30/08/03/5	KX30/08/03/6	KX30/08/03/7
with arrow	matt	KX30/08/13/1	KX30/08/13/2	KX30/08/13/3	KX30/08/13/4	KX30/08/13/5	KX30/08/13/6	KX30/08/13/7

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 10mm Knob

					10mm	Knob				
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX20/10/30/1	KX20/10/30/2	KX20/10/30/3	KX20/10/30/4	KX21/10/30/1	KX21/10/30/2	KX21/10/30/3	KX21/10/30/4	
standard	1/8"	KX20/10/31/1	KX20/10/31/2	KX20/10/31/3	KX20/10/31/4	KX21/10/31/1	KX21/10/31/2	KX21/10/31/3	KX21/10/31/4	
	4	KX20/10/40/1	KX20/10/40/2	KX20/10/40/3	KX20/10/40/4	KX21/10/40/1	KX21/10/40/2	KX21/10/40/3	KX21/10/40/4	
•										
	3	KX26/10/30/1	KX26/10/30/2	KX26/10/30/3	KX26/10/30/4	KX27/10/30/1	KX27/10/30/2	KX27/10/30/3	KX27/10/30/4	
matt	1/8"	KX26/10/31/1	KX26/10/31/2	KX26/10/31/3	KX26/10/31/4	KX27/10/31/1	KX27/10/31/2	KX27/10/31/3	KX27/10/31/4	
	4	KX26/10/40/1	KX26/10/40/2	KX26/10/40/3	KX26/10/40/4	KX27/10/40/1	KX27/10/40/2	KX27/10/40/3	KX27/10/40/4	

100000	HUNGS	00286919	Bearing	78. i 1	0mm W	ing Kno	b	.ellicae	HIRE: 175	
	SHUS.	1837383	no	line			with line			
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
No.	3	KX22/10/30/1	KX22/10/30/2	KX22/10/30/3	KX22/10/30/4	KX23/10/30/1	KX23/10/30/2	KX23/10/30/3	KX23/10/30/4	
standard	1/8"	KX22/10/31/1	KX22/10/31/2	KX22/10/31/3	KX22/10/31/4	KX23/10/31/1	KX23/10/31/2	KX23/10/31/3	KX23/10/31/4	
THE HE	4	KX22/10/40/1	KX22/10/40/2	KX22/10/40/3	KX22/10/40/4	KX23/10/40/1	KX23/10/40/2	KX23/10/40/3	KX23/10/40/4	
hill -	3	KX28/10/30/1	KX28/10/30/2	KX28/10/30/3	KX28/10/30/4	KX29/10/30/1	KX29/10/30/2	KX29/10/30/3	KX29/10/30/4	
matt	1/8"	KX28/10/31/1	KX28/10/31/2	KX28/10/31/3	KX28/10/31/4	KX29/10/31/1	KX29/10/31/2	KX29/10/31/3	KX29/10/31/4	
	4	KX28/10/40/1	KX28/10/40/2	KX28/10/40/3	KX28/10/40/4	KX29/10/40/1	KX29/10/40/2	KX29/10/40/3	KX29/10/40/4	

1 488111	100			نتر تنزدي	4 AT 1	111		18888	THE L
		10mm Arrow Knob							
8 11 11 11 11	360 VIII	The state of	no	line	1000	The state of	with	line	
墨 肥 .	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	3	KX18/10/30/1	KX18/10/30/2	KX18/10/30/3	KX18/10/30/4	KX19/10/30/1	KX19/10/30/2	KX19/10/30/3	KX19/10/30/4
standard	1/8"	KX18/10/31/1	KX18/10/31/2	KX18/10/31/3	KX18/10/31/4	KX19/10/31/1	KX19/10/31/2	KX19/10/31/3	KX19/10/31/4
799 8	4	KX18/10/40/1	KX18/10/40/2	KX18/10/40/3	KX18/10/40/4	KX19/10/40/1	KX19/10/40/2	KX19/10/40/3	KX19/10/40/4
			5HE.		\$2°777			illing in	
	3	KX16/10/30/1	KX16/10/30/2	KX16/10/30/3	KX16/10/30/4	KX17/10/30/1	KX17/10/30/2	KX17/10/30/3	KX17/10/30/4
matt	1/8"	KX16/10/31/1	KX16/10/31/2	KX16/10/31/3	KX16/10/31/4	KX17/10/31/1	KX17/10/31/2	KX17/10/31/3	KX17/10/31/4
	4	KX16/10/40/1	KX16/10/40/2	KX16/10/40/3	KX16/10/40/4	KX17/10/40/1	KX17/10/40/2	KX17/10/40/3	KX17/10/40/4

			F	at Cap	for 10m	m Knok	os	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX30/10/00/1	KX30/10/00/2	KX30/10/00/3	KX30/10/00/4	KX30/10/00/5	KX30/10/00/6	KX30/10/00/7
piaiii	matt	KX30/10/10/1	KX30/10/10/2	KX30/10/10/3	KX30/10/10/4	KX30/10/10/5	KX30/10/10/6	KX30/10/10/7
with line	standard	KX30/10/01/1	KX30/10/01/2	KX30/10/01/3	KX30/10/01/4	KX30/10/01/5	KX30/10/01/6	KX30/10/01/7
with line	matt	KX30/10/11/1	KX30/10/11/2	KX30/10/11/3	KX30/10/11/4	KX30/10/11/5	KX30/10/11/6	KX30/10/11/7
with curved arrow	standard	KX30/10/02/1	KX30/10/02/2	KX30/10/02/3	KX30/10/02/4	KX30/10/02/5	KX30/10/02/6	KX30/10/02/7
with curved arrow	matt	KX30/10/12/1	KX30/10/12/2	KX30/10/12/3	KX30/10/12/4	KX30/10/12/5	KX30/10/12/6	KX30/10/12/7
with arrow	standard	KX30/10/03/1	KX30/10/03/2	KX30/10/03/3	KX30/10/03/4	KX30/10/03/5	KX30/10/03/6	KX30/10/03/7
with arrow	matt	KX30/10/13/1	KX30/10/13/2	KX30/10/13/3	KX30/10/13/4	KX30/10/13/5	KX30/10/13/6	KX30/10/13/7

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 10mm Knob cont.

			Prisi	matic C	ap for 1	0mm K	nobs			
		light grey	light grey dark grey black red blue yellow green							
nlain	standard	KX31/10/00/1	KX31/10/00/2	KX31/10/00/3	KX31/10/00/4	KX31/10/00/5	KX31/10/00/6	KX31/10/00/7		
plain	matt	KX31/10/10/1	KX31/10/10/2	KX31/10/10/3	KX31/10/10/4	KX31/10/10/5	KX31/10/10/6	KX31/10/10/7		
with point	standard	KX31/10/04/1	KX31/10/04/2	KX31/10/04/3	KX31/10/04/4	KX31/10/04/5	KX31/10/04/6	KX31/10/04/7		
with point	matt	KX31/10/14/1	KX31/10/14/2	KX31/10/14/3	KX31/10/14/4	KX31/10/14/5	KX31/10/14/6	KX31/10/14/7		

		Curved Cap for 10mm Knobs								
	light grey	dark grey	black	red	blue	yellow	green			
standard	KX32/10/00/1	KX32/10/00/2	KX32/10/00/3	KX32/10/00/4	KX32/10/00/5	KX32/10/00/6	KX32/10/00/7			
matt	KX32/10/10/1	KX32/10/10/2	KX32/10/10/3	KX32/10/10/4	KX32/10/10/5	KX32/10/10/6	KX32/10/10/7			
		381								
standard	KX32/10/01/1	KX32/10/01/2	KX32/10/01/3	KX32/10/01/4	KX32/10/01/5	KX32/10/01/6	KX32/10/01/7			
matt	KX32/10/11/1	KX32/10/11/2	KX32/10/11/3	KX32/10/11/4	KX32/10/11/5	KX32/10/11/6	KX32/10/11/7			
	matt standard	standard KX32/10/00/1 matt KX32/10/10/1 standard KX32/10/01/1	standard KX32/10/00/1 KX32/10/00/2 matt KX32/10/10/1 KX32/10/10/2 standard KX32/10/01/1 KX32/10/01/2	standard KX32/10/00/1 KX32/10/00/2 KX32/10/00/3 matt KX32/10/10/1 KX32/10/10/2 KX32/10/10/3 standard KX32/10/01/1 KX32/10/01/2 KX32/10/01/3	standard KX32/10/00/1 KX32/10/00/2 KX32/10/00/3 KX32/10/00/4 matt KX32/10/10/1 KX32/10/10/2 KX32/10/10/3 KX32/10/10/4 standard KX32/10/01/1 KX32/10/01/2 KX32/10/01/3 KX32/10/01/4	standard KX32/10/00/1 KX32/10/00/2 KX32/10/00/3 KX32/10/00/4 KX32/10/00/5 matt KX32/10/10/1 KX32/10/10/2 KX32/10/10/3 KX32/10/10/4 KX32/10/10/5 standard KX32/10/01/1 KX32/10/01/2 KX32/10/01/3 KX32/10/01/4 KX32/10/01/5	standard KX32/10/00/1 KX32/10/00/2 KX32/10/00/3 KX32/10/00/4 KX32/10/00/5 KX32/10/00/6 matt KX32/10/10/1 KX32/10/10/2 KX32/10/10/3 KX32/10/10/4 KX32/10/10/5 KX32/10/10/6 standard KX32/10/01/1 KX32/10/01/2 KX32/10/01/3 KX32/10/01/4 KX32/10/01/5 KX32/10/01/6			

		Flat Cap with Aluminium Disk for 10mm Knobs						
		light grey ring	dark grey ring	black ring	red ring			
plain	standard	KX35/10/00/1	KX35/10/00/2	KX35/10/00/3	KX35/10/00/4			
piairi	matt	KX35/10/10/1	KX35/10/10/2	KX35/10/10/3	KX35/10/10/4			
) B	L BUT	理した。			
with line	standard	KX35/10/01/1	KX35/10/01/2	KX35/10/01/3	KX35/10/01/4			
With Mile	matt	KX35/10/11/1	KX35/10/11/2	KX35/10/11/3	KX35/10/11/4			

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 13mm Knob

					13mm	Knob				
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX20/13/30/1	KX20/13/30/2	KX20/13/30/3	KX20/13/30/4	KX21/13/30/1	KX21/13/30/2	KX21/13/30/3	KX21/13/30/4	
	1/8"	KX20/13/31/1	KX20/13/31/2	KX20/13/31/3	KX20/13/31/4	KX21/13/31/1	KX21/13/31/2	KX21/13/31/3	KX21/13/31/4	
standard	4	KX20/13/40/1	KX20/13/40/2	KX20/13/40/3	KX20/13/40/4	KX21/13/40/1	KX21/13/40/2	KX21/13/40/3	KX21/13/40/4	
	6	KX20/13/60/1	KX20/13/60/2	KX20/13/60/3	KX20/13/60/4	KX21/13/60/1	KX21/13/60/2	KX21/13/60/3	KX21/13/60/4	
	1/4″	KX20/13/61/1	KX20/13/61/2	KX20/13/61/3	KX20/13/61/4	KX21/13/61/1	KX21/13/61/2	KX21/13/61/3	KX21/13/61/4	
	3	KX26/13/30/1	KX26/13/30/2	KX26/13/30/3	KX26/13/30/4	KX27/13/30/1	KX27/13/30/2	KX27/13/30/3	KX27/13/30/4	
	1/8″	KX26/13/31/1	KX26/13/31/2	KX26/13/31/3	KX26/13/31/4	KX27/13/31/1	KX27/13/31/2	KX27/13/31/3	KX27/13/31/4	
matt	4	KX26/13/40/1	KX26/13/40/2	KX26/13/40/3	KX26/13/40/4	KX27/13/40/1	KX27/13/40/2	KX27/13/40/3	KX27/13/40/4	
	6	KX26/13/60/1	KX26/13/60/2	KX26/13/60/3	KX26/13/60/4	KX27/13/60/1	KX27/13/60/2	KX27/13/60/3	KX27/13/60/4	
	1/4"	KX26/13/61/1	KX26/13/61/2	KX26/13/61/3	KX26/13/61/4	KX27/13/61/1	KX27/13/61/2	KX27/13/61/3	KX27/13/61/4	

Ki illi	400.8			38111: :11	3mm W	ing Kno	b		. III.
	STABLE OF	2003	no	line		with line			
138	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
108	3	KX22/13/30/1	KX22/13/30/2	KX22/13/30/3	KX22/13/30/4	KX23/13/30/1	KX23/13/30/2	KX23/13/30/3	KX23/13/30/4
Se ma	1/8"	KX22/13/31/1	KX22/13/31/2	KX22/13/31/3	KX22/13/31/4	KX23/13/31/1	KX23/13/31/2	KX23/13/31/3	KX23/13/31/4
standard	4	KX22/13/40/1	KX22/13/40/2	KX22/13/40/3	KX22/13/40/4	KX23/13/40/1	KX23/13/40/2	KX23/13/40/3	KX23/13/40/4
	6	KX22/13/60/1	KX22/13/60/2	KX22/13/60/3	KX22/13/60/4	KX23/13/60/1	KX23/13/60/2	KX23/13/60/3	KX23/13/60/4
	1/4"	KX22/13/61/1	KX22/13/61/2	KX22/13/61/3	KX22/13/61/4	KX23/13/61/1	KX23/13/61/2	KX23/13/61/3	KX23/13/61/4
	7311			7	F 1967			History I	
S (18)	3	KX28/13/30/1	KX28/13/30/2	KX28/13/30/3	KX28/13/30/4	KX29/13/30/1	KX29/13/30/2	KX29/13/30/3	KX29/13/30/4
	1/8"	KX28/13/31/1	KX28/13/31/2	KX28/13/31/3	KX28/13/31/4	KX29/13/31/1	KX29/13/31/2	KX29/13/31/3	KX29/13/31/4
matt	4	KX28/13/40/1	KX28/13/40/2	KX28/13/40/3	KX28/13/40/4	KX29/13/40/1	KX29/13/40/2	KX29/13/40/3	KX29/13/40/4
	6	KX28/13/60/1	KX28/13/60/2	KX28/13/60/3	KX28/13/60/4	KX29/13/60/1	KX29/13/60/2	KX29/13/60/3	KX29/13/60/4
	1/4"	KX28/13/61/1	KX28/13/61/2	KX28/13/61/3	KX28/13/61/4	KX29/13/61/1	KX29/13/61/2	KX29/13/61/3	KX29/13/61/4

10. 33.23	sile in the			- 111 83			Ban, and			
		Flat Cap for 13mm Knobs								
		light grey	dark grey	black	red	blue	yellow	green		
plain	standard	KX30/13/00/1	KX30/13/00/2	KX30/13/00/3	KX30/13/00/4	KX30/13/00/5	KX30/13/00/6	KX30/13/00/7		
Piairi	matt	KX30/13/10/1	KX30/13/10/2	KX30/13/10/3	KX30/13/10/4	KX30/13/10/5	KX30/13/10/6	KX30/13/10/7		
with line	standard	KX30/13/01/1	KX30/13/01/2	KX30/13/01/3	KX30/13/01/4	KX30/13/01/5	KX30/13/01/6	KX30/13/01/7		
	matt	KX30/13/11/1	KX30/13/11/2	KX30/13/11/3	KX30/13/11/4	KX30/13/11/5	KX30/13/11/6	KX30/13/11/7		
with curved arrow	standard	KX30/13/02/1	KX30/13/02/2	KX30/13/02/3	KX30/13/02/4	KX30/13/02/5	KX30/13/02/6	KX30/13/02/7		
with curved arrow	matt	KX30/13/12/1	KX30/13/12/2	KX30/13/12/3	KX30/13/12/4	KX30/13/12/5	KX30/13/12/6	KX30/13/12/7		
with arrow	standard	KX30/13/03/1	KX30/13/03/2	KX30/13/03/3	KX30/13/03/4	KX30/13/03/5	KX30/13/03/6	KX30/13/03/7		
	matt	KX30/13/13/1	KX30/13/13/2	KX30/13/13/3	KX30/13/13/4	KX30/13/13/5	KX30/13/13/6	KX30/13/13/7		

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 13mm Knob cont.

			Pris	matic C	ap for 1	3mm Kn	obs		
	_	light grey dark grey black red blue yellow green							
plain	standard	KX31/13/00/1	KX31/13/00/2	KX31/13/00/3	KX31/13/00/4	KX31/13/00/5	KX31/13/00/6	KX31/13/00/7	
piairi	matt	KX31/13/10/1	KX31/13/10/2	KX31/13/10/3	KX31/13/10/4	KX31/13/10/5	KX31/13/10/6	KX31/13/10/7	
	_								
with point	standard	KX31/13/04/1	KX31/13/04/2	KX31/13/04/3	KX31/13/04/4	KX31/13/04/5	KX31/13/04/6	KX31/13/04/7	
with point	matt	KX31/13/14/1	KX31/13/14/2	KX31/13/14/3	KX31/13/14/4	KX31/13/14/5	KX31/13/14/6	KX31/13/14/7	

			Cu	rved Ca	p for 13	mm Kno	bs	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX32/13/00/1	KX32/13/00/2	KX32/13/00/3	KX32/13/00/4	KX32/13/00/5	KX32/13/00/6	KX32/13/00/7
plain	matt	KX32/13/10/1	KX32/13/10/2	KX32/13/10/3	KX32/13/10/4	KX32/13/10/5	KX32/13/10/6	KX32/13/10/7
	11662-4863		181 (SH)			and the		
with line	standard	KX32/13/01/1	KX32/13/01/2	KX32/13/01/3	KX32/13/01/4	KX32/13/01/5	KX32/13/01/6	KX32/13/01/7
with line	matt	KX32/13/11/1	KX32/13/11/2	KX32/13/11/3	KX32/13/11/4	KX32/13/11/5	KX32/13/11/6	KX32/13/11/7



RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 15mm Knob

					15mm	Knob			
			no	line			with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	3	KX20/15/30/1	KX20/15/30/2	KX20/15/30/3	KX20/15/30/4	KX21/15/30/1	KX21/15/30/2	KX21/15/30/3	KX21/15/30/4
	1/8"	KX20/15/31/1	KX20/15/31/2	KX20/15/31/3	KX20/15/31/4	KX21/15/31/1	KX21/15/31/2	KX21/15/31/3	KX21/15/31/4
standard	4	KX20/15/40/1	KX20/15/40/2	KX20/15/40/3	KX20/15/40/4	KX21/15/40/1	KX21/15/40/2	KX21/15/40/3	KX21/15/40/4
	6	KX20/15/60/1	KX20/15/60/2	KX20/15/60/3	KX20/15/60/4	KX21/15/60/1	KX21/15/60/2	KX21/15/60/3	KX21/15/60/4
	1/4″	KX20/15/61/1	KX20/15/61/2	KX20/15/61/3	KX20/15/61/4	KX21/15/61/1	KX21/15/61/2	KX21/15/61/3	KX21/15/61/4
	3	KX26/15/30/1	KX26/15/30/2	KX26/15/30/3	KX26/15/30/4	KX27/15/30/1	KX27/15/30/2	KX27/15/30/3	KX27/15/30/4
	1/8″	KX26/15/31/1	KX26/15/31/2	KX26/15/31/3	KX26/15/31/4	KX27/15/31/1	KX27/15/31/2	KX27/15/31/3	KX27/15/31/4
matt	4	KX26/15/40/1	KX26/15/40/2	KX26/15/40/3	KX26/15/40/4	KX27/15/40/1	KX27/15/40/2	KX27/15/40/3	KX27/15/40/4
-	6	KX26/15/60/1	KX26/15/60/2	KX26/15/60/3	KX26/15/60/4	KX27/15/60/1	KX27/15/60/2	KX27/15/60/3	KX27/15/60/4
	1/4"	KX26/15/61/1	KX26/15/61/2	KX26/15/61/3	KX26/15/61/4	KX27/15/61/1	KX27/15/61/2	KX27/15/61/3	KX27/15/61/4

Barra.	Service Control	201111	no	line	5mm W	with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
MAIL.	3	KX22/15/30/1	KX22/15/30/2	KX22/15/30/3	KX22/15/30/4	KX23/15/30/1	KX23/15/30/2	KX23/15/30/3	KX23/15/30/4	
standard	1/8"	KX22/15/31/1	KX22/15/31/2	KX22/15/31/3	KX22/15/31/4	KX23/15/31/1	KX23/15/31/2	KX23/15/31/3	KX23/15/31/4	
	4	KX22/15/40/1	KX22/15/40/2	KX22/15/40/3	KX22/15/40/4	KX23/15/40/1	KX23/15/40/2	KX23/15/40/3	KX23/15/40/4	
	6	KX22/15/60/1	KX22/15/60/2	KX22/15/60/3	KX22/15/60/4	KX23/15/60/1	KX23/15/60/2	KX23/15/60/3	KX23/15/60/4	
	1/4"	KX22/15/61/1	KX22/15/61/2	KX22/15/61/3	KX22/15/61/4	KX23/15/61/1	KX23/15/61/2	KX23/15/61/3	KX23/15/61/4	
	331.		4		1. May 1	74 B 764	4.00	Albert 1		
3 JB .	3	KX28/15/30/1	KX28/15/30/2	KX28/15/30/3	KX28/15/30/4	KX29/15/30/1	KX29/15/30/2	KX29/15/30/3	KX29/15/30/4	
	1/8"	KX28/15/31/1	KX28/15/31/2	KX28/15/31/3	KX28/15/31/4	KX29/15/31/1	KX29/15/31/2	KX29/15/31/3	KX29/15/31/4	
matt	4	KX28/15/40/1	KX28/15/40/2	KX28/15/40/3	KX28/15/40/4	KX29/15/40/1	KX29/15/40/2	KX29/15/40/3	KX29/15/40/4	
matt .	6	KX28/15/60/1	KX28/15/60/2	KX28/15/60/3	KX28/15/60/4	KX29/15/60/1	KX29/15/60/2	KX29/15/60/3	KX29/15/60/4	
	1/4"	KX28/15/61/1	KX28/15/61/2	KX28/15/61/3	KX28/15/61/4	KX29/15/61/1	KX29/15/61/2	KX29/15/61/3	KX29/15/61/4	

1.00		15mm Arrow Knob								
				15	5mm Ar	row Kno	b			
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX18/15/30/1	KX18/15/30/2	KX18/15/30/3	KX18/15/30/4	KX19/15/30/1	KX19/15/30/2	KX19/15/30/3	KX19/15/30/4	
	1/8"	KX18/15/31/1	KX18/15/31/2	KX18/15/31/3	KX18/15/31/4	KX19/15/31/1	KX19/15/31/2	KX19/15/31/3	KX19/15/31/4	
standard	4	KX18/15/40/1	KX18/15/40/2	KX18/15/40/3	KX18/15/40/4	KX19/15/40/1	KX19/15/40/2	KX19/15/40/3	KX19/15/40/4	
	6	KX18/15/60/1	KX18/15/60/2	KX18/15/60/3	KX18/15/60/4	KX19/15/60/1	KX19/15/60/2	KX19/15/60/3	KX19/15/60/4	
	1/4"	KX18/15/61/1	KX18/15/61/2	KX18/15/61/3	KX18/15/61/4	KX19/15/61/1	KX19/15/61/2	KX19/15/61/3	KX19/15/61/4	
	3	KX16/15/30/1	KX16/15/30/2	KX16/15/30/3	KX16/15/30/4	KX17/15/30/1	KX17/15/30/2	KX17/15/30/3	KX17/15/30/4	
	1/8"	KX16/15/31/1	KX16/15/31/2	KX16/15/31/3	KX16/15/31/4	KX17/15/31/1	KX17/15/31/2	KX17/15/31/3	KX17/15/31/4	
matt	4	KX16/15/40/1	KX16/15/40/2	KX16/15/40/3	KX16/15/40/4	KX17/15/40/1	KX17/15/40/2	KX17/15/40/3	KX17/15/40/4	
	6	KX16/15/60/1	KX16/15/60/2	KX16/15/60/3	KX16/15/60/4	KX17/15/60/1	KX17/15/60/2	KX17/15/60/3	KX17/15/60/4	
	1/4"	KX16/15/61/1	KX16/15/61/2	KX16/15/61/3	KX16/15/61/4	KX17/15/61/1	KX17/15/61/2	KX17/15/61/3	KX17/15/61/4	

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 15mm Knob cont.

			F	lat Cap	for 15m	m Knol	os	
		light grey	dark grey	black	red	blue	yellow	green
mlain	standard	KX30/15/00/1	KX30/15/00/2	KX30/15/00/3	KX30/15/00/4	KX30/15/00/5	KX30/15/00/6	KX30/15/00/7
plain	matt	KX30/15/10/1	KX30/15/10/2	KX30/15/10/3	KX30/15/10/4	KX30/15/10/5	KX30/15/10/6	KX30/15/10/7
with line	standard	KX30/15/01/1	KX30/15/01/2	KX30/15/01/3	KX30/15/01/4	KX30/15/01/5	KX30/15/01/6	KX30/15/01/7
with line	matt	KX30/15/11/1	KX30/15/11/2	KX30/15/11/3	KX30/15/11/4	KX30/15/11/5	KX30/15/11/6	KX30/15/11/7
with curved arrow	standard	KX30/15/02/1	KX30/15/02/2	KX30/15/02/3	KX30/15/02/4	KX30/15/02/5	KX30/15/02/6	KX30/15/02/7
with curved arrow	matt	KX30/15/12/1	KX30/15/12/2	KX30/15/12/3	KX30/15/12/4	KX30/15/12/5	KX30/15/12/6	KX30/15/12/7
	standard	KX30/15/03/1	KX30/15/03/2	KX30/15/03/3	KX30/15/03/4	KX30/15/03/5	KX30/15/03/6	KX30/15/03/7
with arrow	matt	KX30/15/13/1	KX30/15/13/2	KX30/15/13/3	KX30/15/13/4	KX30/15/13/5	KX30/15/13/6	KX30/15/13/7
				331118	1436.00	W.S. 15		

grey black 5/00/2 KX31/15/00 5/10/2 KX31/15/10	0/3 KX31/15/00/4 KX3	blue yellow 1/15/00/5 KX31/15/00/ 1/15/10/5 KX31/15/10/	100000
			111111111111
5/10/2 KX31/15/10	0/3 KX31/15/10/4 KX3	1/15/10/5 KX31/15/10/	6 KX31/15/10/7
日:44.1			1 10.5 1/15/10/1
5/04/2 KX31/15/04	1/3 KX31/15/04/4 KX3	1/15/04/5 KX31/15/04/	6 KX31/15/04/7
5/14/2 KX31/15/14	4/3 KX31/15/14/4 KX3	1/15/14/5 KX31/15/14/	6 KX31/15/14/7
		7: 38m+ 197	38000 18 18 18 18 18

			Cur	ved Ca	p for 15	mm Kn	obs	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX32/15/00/1	KX32/15/00/2	KX32/15/00/3	KX32/15/00/4	KX32/15/00/5	KX32/15/00/6	KX32/15/00/7
	matt	KX32/15/10/1	KX32/15/10/2	KX32/15/10/3	KX32/15/10/4	KX32/15/10/5	KX32/15/10/6	KX32/15/10/7
an albu ilika		33476	340° 31.			60		315
with line	standard	KX32/15/01/1	KX32/15/01/2	KX32/15/01/3	KX32/15/01/4	KX32/15/01/5	KX32/15/01/6	KX32/15/01/7
with line	matt	KX32/15/11/1	KX32/15/11/2	KX32/15/11/3	KX32/15/11/4	KX32/15/11/5	KX32/15/11/6	KX32/15/11/7

			•	h Alumi mm Kn	
		light grey ring	dark grey ring	black ring	red ring
plain	standard	KX35/15/00/1	KX35/15/00/2	KX35/15/00/3	KX35/15/00/4
piairi	matt	KX35/15/10/1	KX35/15/10/2	KX35/15/10/3	KX35/15/10/4
with line	standard	KX35/15/01/1	KX35/15/01/2	KX35/15/01/3	KX35/15/01/4
with life	matt	KX35/15/11/1	KX35/15/11/2	KX35/15/11/3	KX35/15/11/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 21mm Knob

					21mm	Knob			
			no	line			with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	3	KX20/21/30/1	KX20/21/30/2	KX20/21/30/3	KX20/21/30/4	KX21/21/30/1	KX21/21/30/2	KX21/21/30/3	KX21/21/30/4
	1/8"	KX20/21/31/1	KX20/21/31/2	KX20/21/31/3	KX20/21/31/4	KX21/21/31/1	KX21/21/31/2	KX21/21/31/3	KX21/21/31/4
standard	4	KX20/21/40/1	KX20/21/40/2	KX20/21/40/3	KX20/21/40/4	KX21/21/40/1	KX21/21/40/2	KX21/21/40/3	KX21/21/40/4
	6	KX20/21/60/1	KX20/21/60/2	KX20/21/60/3	KX20/21/60/4	KX21/21/60/1	KX21/21/60/2	KX21/21/60/3	KX21/21/60/4
	1/4″	KX20/21/61/1	KX20/21/61/2	KX20/21/61/3	KX20/21/61/4	KX21/21/61/1	KX21/21/61/2	KX21/21/61/3	KX21/21/61/4
	3	KX26/21/30/1	KX26/21/30/2	KX26/21/30/3	KX26/21/30/4	KX27/21/30/1	KX27/21/30/2	KX27/21/30/3	KX27/21/30/4
	1/8"	KX26/21/31/1	KX26/21/31/2	KX26/21/31/3	KX26/21/31/4	KX27/21/31/1	KX27/21/31/2	KX27/21/31/3	KX27/21/31/4
matt	4	KX26/21/40/1	KX26/21/40/2	KX26/21/40/3	KX26/21/40/4	KX27/21/40/1	KX27/21/40/2	KX27/21/40/3	KX27/21/40/4
	6	KX26/21/60/1	KX26/21/60/2	KX26/21/60/3	KX26/21/60/4	KX27/21/60/1	KX27/21/60/2	KX27/21/60/3	KX27/21/60/4
MUNIC.	1/4"	KX26/21/61/1	KX26/21/61/2	KX26/21/61/3	KX26/21/61/4	KX27/21/61/1	KX27/21/61/2	KX27/21/61/3	KX27/21/61/4

light grey KX22/21/30/1 KX22/21/31/1 KX22/21/40/1 KX22/21/60/1	no dark grey KX22/21/30/2 KX22/21/31/2 KX22/21/40/2	black KX22/21/30/3 KX22/21/31/3 KX22/21/40/3	red KX22/21/30/4 KX22/21/31/4 KX22/21/40/4	light grey KX23/21/30/1 KX23/21/31/1 KX23/21/40/1	with dark grey KX23/21/30/2 KX23/21/31/2	black KX23/21/30/3 KX23/21/31/3	red KX23/21/30/4 KX23/21/31/4
KX22/21/30/1 KX22/21/31/1 KX22/21/40/1	KX22/21/30/2 KX22/21/31/2 KX22/21/40/2	KX22/21/30/3 KX22/21/31/3	KX22/21/30/4 KX22/21/31/4	KX23/21/30/1 KX23/21/31/1	KX23/21/30/2 KX23/21/31/2	KX23/21/30/3	KX23/21/30/4
KX22/21/31/1 KX22/21/40/1	KX22/21/31/2 KX22/21/40/2	KX22/21/31/3	KX22/21/31/4	KX23/21/31/1	KX23/21/31/2		
KX22/21/40/1	KX22/21/40/2					KX23/21/31/3	KX23/21/31/4
		KX22/21/40/3	KX22/21/40/4	KX23/21/40/1			
KX22/21/60/1	KY22/21/60/2			13.123,11740/ I	KX23/21/40/2	KX23/21/40/3	KX23/21/40/4
	TCAZZIZ I/OUIZ	KX22/21/60/3	KX22/21/60/4	KX23/21/60/1	KX23/21/60/2	KX23/21/60/3	KX23/21/60/4
KX22/21/61/1	KX22/21/61/2	KX22/21/61/3	KX22/21/61/4	KX23/21/61/1	KX23/21/61/2	KX23/21/61/3	KX23/21/61/4
			F				
KX28/21/30/1	KX28/21/30/2	KX28/21/30/3	KX28/21/30/4	KX29/21/30/1	KX29/21/30/2	KX29/21/30/3	KX29/21/30/4
KX28/21/31/1	KX28/21/31/2	KX28/21/31/3	KX28/21/31/4	KX29/21/31/1	KX29/21/31/2	KX29/21/31/3	KX29/21/31/4
KX28/21/40/1	KX28/21/40/2	KX28/21/40/3	KX28/21/40/4	KX29/21/40/1	KX29/21/40/2	KX29/21/40/3	KX29/21/40/4
KX28/21/60/1	KX28/21/60/2	KX28/21/60/3	KX28/21/60/4	KX29/21/60/1	KX29/21/60/2	KX29/21/60/3	KX29/21/60/4
KX28/21/61/1	KX28/21/61/2	KX28/21/61/3	KX28/21/61/4	KX29/21/61/1	KX29/21/61/2	KX29/21/61/3	KX29/21/61/4
	KX28/21/60/1	KX28/21/40/1 KX28/21/40/2 KX28/21/60/1 KX28/21/60/2	KX28/21/40/1 KX28/21/40/2 KX28/21/40/3 KX28/21/60/1 KX28/21/60/2 KX28/21/60/3	KX28/21/40/1 KX28/21/40/2 KX28/21/40/3 KX28/21/40/4 KX28/21/60/1 KX28/21/60/2 KX28/21/60/3 KX28/21/60/4	KX28/21/40/1 KX28/21/40/2 KX28/21/40/3 KX28/21/40/4 KX29/21/40/1 KX28/21/60/1 KX28/21/60/2 KX28/21/60/3 KX28/21/60/4 KX29/21/60/1	KX28/21/40/1 KX28/21/40/2 KX28/21/40/3 KX28/21/40/4 KX29/21/40/1 KX29/21/40/2 KX28/21/60/1 KX28/21/60/2 KX28/21/60/3 KX28/21/60/4 KX29/21/60/1 KX29/21/60/2	KX28/21/40/1 KX28/21/40/2 KX28/21/40/3 KX28/21/40/4 KX29/21/40/1 KX29/21/40/2 KX29/21/40/3 KX28/21/60/1 KX28/21/60/2 KX28/21/60/3 KX28/21/60/4 KX29/21/60/1 KX29/21/60/2 KX29/21/60/3

- 15		P	-	21	Imm Ar	row Kn	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		
					Imm Ar	IOW KIIC			
			no	line			with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	3	KX18/21/30/1	KX18/21/30/2	KX18/21/30/3	KX18/21/30/4	KX19/21/30/1	KX19/21/30/2	KX19/21/30/3	KX19/21/30/4
	1/8"	KX18/21/31/1	KX18/21/31/2	KX18/21/31/3	KX18/21/31/4	KX19/21/31/1	KX19/21/31/2	KX19/21/31/3	KX19/21/31/4
standard	4	KX18/21/40/1	KX18/21/40/2	KX18/21/40/3	KX18/21/40/4	KX19/21/40/1	KX19/21/40/2	KX19/21/40/3	KX19/21/40/4
	6	KX18/21/60/1	KX18/21/60/2	KX18/21/60/3	KX18/21/60/4	KX19/21/60/1	KX19/21/60/2	KX19/21/60/3	KX19/21/60/4
	1/4"	KX18/21/61/1	KX18/21/61/2	KX18/21/61/3	KX18/21/61/4	KX19/21/61/1	KX19/21/61/2	KX19/21/61/3	KX19/21/61/4
	3	KX16/21/30/1	KX16/21/30/2	KX16/21/30/3	KX16/21/30/4	KX17/21/30/1	KX17/21/30/2	KX17/21/30/3	KX17/21/30/4
	1/8"	KX16/21/31/1	KX16/21/31/2	KX16/21/31/3	KX16/21/31/4	KX17/21/31/1	KX17/21/31/2	KX17/21/31/3	KX17/15/31/4
matt	4	KX16/21/40/1	KX16/21/40/2	KX16/21/40/3	KX16/21/40/4	KX17/21/40/1	KX17/21/40/2	KX17/21/40/3	KX17/21/40/4
matt	6	KX16/21/60/1	KX16/21/60/2	KX16/21/60/3	KX16/21/60/4	KX17/21/60/1	KX17/21/60/2	KX17/21/60/3	KX17/21/60/4
	1/4"	KX16/21/61/1	KX16/21/61/2	KX16/21/61/3	KX16/21/61/4	KX17/21/61/1	KX17/21/61/2	KX17/21/61/3	KX17/21/61/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 21mm Knob cont.

			F	lat Cap	for 21m	m Knol	os	
		light grey	dark grey	black	red	blue	yellow	green
nloin	standard	KX30/21/00/1	KX30/21/00/2	KX30/21/00/3	KX30/21/00/4	KX30/21/00/5	KX30/21/00/6	KX30/21/00/
plain	matt	KX30/21/10/1	KX30/21/10/2	KX30/21/10/3	KX30/21/10/4	KX30/21/10/5	KX30/21/10/6	KX30/21/10/
with line	standard	KX30/21/01/1	KX30/21/01/2	KX30/21/01/3	KX30/21/01/4	KX30/21/01/5	KX30/21/01/6	KX30/21/01/
with line	matt	KX30/21/11/1	KX30/21/11/2	KX30/21/11/3	KX30/21/11/4	KX30/21/11/5	KX30/21/11/6	KX30/21/11/
with curved arrow	standard	KX30/21/02/1	KX30/21/02/2	KX30/21/02/3	KX30/21/02/4	KX30/21/02/5	KX30/21/02/6	KX30/21/02/
with curved arrow	matt	KX30/21/12/1	KX30/21/12/2	KX30/21/12/3	KX30/21/12/4	KX30/21/12/5	KX30/21/12/6	KX30/21/12/
	CONTRACTOR IN	A STATE OF THE OWNER, OR	and the same	NO CONTRACTOR INC.				
with arrow	standard	KX30/21/03/1	KX30/21/03/2	KX30/21/03/3	KX30/21/03/4	KX30/21/03/5	KX30/21/03/6	KX30/21/03/
	matt	KX30/21/13/1	KX30/21/13/2	KX30/21/13/3	KX30/21/13/4	KX30/21/13/5	KX30/21/13/6	KX30/21/13/

		Prismatic Cap for 21mm Knobs								
B. 11	3300	light grey	dark grey	black	red	blue	yellow	green		
plain	standard	KX31/21/00/1	KX31/21/00/2	KX31/21/00/3	KX31/21/00/4	KX31/21/00/5	KX31/21/00/6	KX31/21/00/7		
piairi	matt	KX31/21/10/1	KX31/21/10/2	KX31/21/10/3	KX31/21/10/4	KX31/21/10/5	KX31/21/10/6	KX31/21/10/7		
			: !!!	班·亚 。 <i>田</i>						
with point	standard	KX31/21/04/1	KX31/21/04/2	KX31/21/04/3	KX31/21/04/4	KX31/21/04/5	KX31/21/04/6	KX31/21/04/7		
with point	matt	KX31/21/14/1	KX31/21/14/2	KX31/21/14/3	KX31/21/14/4	KX31/21/14/5	KX31/21/14/6	KX31/21/14/7		

		Curved Cap for 21mm Knobs						
		light grey	dark grey	black	red	blue	yellow	green
Digital National States	standard	KX32/21/00/1	KX32/21/00/2	KX32/21/00/3	KX32/21/00/4	KX32/21/00/5	KX32/21/00/6	KX32/21/00/7
plain	matt	KX32/21/10/1	KX32/21/10/2	KX32/21/10/3	KX32/21/10/4	KX32/21/10/5	KX32/21/10/6	KX32/21/10/7
		3811161	53H1 HL			(i) 38%		<u> 1888 - 11</u>
with line	standard	KX32/21/01/1	KX32/21/01/2	KX32/21/01/3	KX32/21/01/4	KX32/21/01/5	KX32/21/01/6	KX32/21/01/7
	matt	KX32/21/11/1	KX32/21/11/2	KX32/21/11/3	KX32/21/11/4	KX32/21/11/5	KX32/21/11/6	KX32/21/11/7

			•	h Alumi mm Kn	
		light grey ring	dark grey ring	black ring	red ring
plain	standard	KX35/21/00/1	KX35/21/00/2	KX35/21/00/3	KX35/21/00/4
piairi	matt	KX35/21/10/1	KX35/21/10/2	KX35/21/10/3	KX35/21/10/4
	_				
with line	standard	KX35/21/01/1	KX35/21/01/2	KX35/21/01/3	KX35/21/01/4
with life	matt	KX35/21/11/1	KX35/21/11/2	KX35/21/11/3	KX35/21/11/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 28mm Knob

	28mm Knob								
			no	line			with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	4	KX20/28/40/1	KX20/28/40/2	KX20/28/40/3	KX20/28/40/4	KX21/28/40/1	KX21/28/40/2	KX21/28/40/3	KX21/28/40/4
standard	6	KX20/28/60/1	KX20/28/60/2	KX20/28/60/3	KX20/28/60/4	KX21/28/60/1	KX21/28/60/2	KX21/28/60/3	KX21/28/60/4
	1/4"	KX20/28/61/1	KX20/28/61/2	KX20/28/61/3	KX20/28/61/4	KX21/28/61/1	KX21/28/61/2	KX21/28/61/3	KX21/28/61/4
	4	KX26/28/40/1	KX26/28/40/2	KX26/28/40/3	KX26/28/40/4	KX27/28/40/1	KX27/28/40/2	KX27/28/40/3	KX27/28/40/4
matt	6	KX26/28/60/1	KX26/28/60/2	KX26/28/60/3	KX26/28/60/4	KX27/28/60/1	KX27/28/60/2	KX27/28/60/3	KX27/28/60/4
	1/4"	KX26/28/61/1	KX26/28/61/2	KX26/28/61/3	KX26/28/61/4	KX27/28/61/1	KX27/28/61/2	KX27/28/61/3	KX27/28/61/4

10000000	488684	0.2865134	88077773	2	8mm W	ing Kno	b		11188.1178	
		8,573,8531	no	line		with line				
1.7度. 門裏	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
1000 H	4	KX22/28/40/1	KX22/28/40/2	KX22/28/40/3	KX22/28/40/4	KX23/28/40/1	KX23/28/40/2	KX23/28/40/3	KX23/28/40/4	
standard	6	KX22/28/60/1	KX22/28/60/2	KX22/28/60/3	KX22/28/60/4	KX23/28/60/1	KX23/28/60/2	KX23/28/60/3	KX23/28/60/4	
Tiggi at a	1/4"	KX22/28/61/1	KX22/28/61/2	KX22/28/61/3	KX22/28/61/4	KX23/28/61/1	KX23/28/61/2	KX23/28/61/3	KX23/28/61/4	
1,288	130000000000000000000000000000000000000	NEW PERSONS			15 348			1,000	<u> </u>	
1085	4	KX28/28/40/1	KX28/28/40/2	KX28/28/40/3	KX28/28/40/4	KX29/28/40/1	KX29/28/40/2	KX29/28/40/3	KX29/28/40/4	
matt	6	KX28/28/60/1	KX28/28/60/2	KX28/28/60/3	KX28/28/60/4	KX29/28/60/1	KX29/28/60/2	KX29/28/60/3	KX29/28/60/4	
	1/4"	KX28/28/61/1	KX28/28/61/2	KX28/28/61/3	KX28/28/61/4	KX29/28/61/1	KX29/28/61/2	KX29/28/61/3	KX29/28/61/4	

		1 8		بنار خزد ر	No. of the little	111 776		83333			
Busilet:		28mm Arrow Knob									
800000		no line				with line					
B. 48 4	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red		
standard	6	KX18/28/60/1	KX18/28/60/2	KX18/28/60/3	KX18/28/60/4	KX19/28/60/1	KX19/28/60/2	KX19/28/60/3	KX19/28/60/4		
Standard	1/4"	KX18/28/61/1	KX18/28/61/2	KX18/28/61/3	KX18/28/61/4	KX19/28/61/1	KX19/28/61/2	KX19/28/61/3	KX19/28/61/4		
	6	KX16/28/60/1	KX16/28/60/2	KX16/28/60/3	KX16/28/60/4	KX17/28/60/1	KX17/28/60/2	KX17/28/60/3	KX17/28/60/4		
matt	1/4"	KX16/28/61/1	KX16/28/61/2	KX16/28/61/3	KX16/28/61/4	KX17/28/61/1	KX17/28/61/2	KX17/28/61/3	KX17/28/61/4		

			F	at Cap	for 28m	m Knok	os	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX30/28/00/1	KX30/28/00/2	KX30/28/00/3	KX30/28/00/4	KX30/28/00/5	KX30/28/00/6	KX30/28/00/7
piaiii	matt	KX30/28/10/1	KX30/28/10/2	KX30/28/10/3	KX30/28/10/4	KX30/28/10/5	KX30/28/10/6	KX30/28/10/7
with line	standard	KX30/28/01/1	KX30/28/01/2	KX30/28/01/3	KX30/28/01/4	KX30/28/01/5	KX30/28/01/6	KX30/28/01/7
with line	matt	KX30/28/11/1	KX30/28/11/2	KX30/28/11/3	KX30/28/11/4	KX30/28/11/5	KX30/28/11/6	KX30/28/11/7
with curved arrow	standard	KX30/28/02/1	KX30/28/02/2	KX30/28/02/3	KX30/28/02/4	KX30/28/02/5	KX30/28/02/6	KX30/28/02/7
with curved arrow	matt	KX30/28/12/1	KX30/28/12/2	KX30/28/12/3	KX30/28/12/4	KX30/28/12/5	KX30/28/12/6	KX30/28/12/7
with arrow	standard	KX30/28/03/1	KX30/28/03/2	KX30/28/03/3	KX30/28/03/4	KX30/28/03/5	KX30/28/03/6	KX30/28/03/7
with arrow	matt	KX30/28/13/1	KX30/28/13/2	KX30/28/13/3	KX30/28/13/4	KX30/28/13/5	KX30/28/13/6	KX30/28/13/7

11

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 28mm Knob cont.

			Prismatic Cap for 28mm Knobs								
		light grey	dark grey	black	red	blue	yellow	green			
mlain	standard	KX31/28/00/1	KX31/28/00/2	KX31/28/00/3	KX31/28/00/4	KX31/28/00/5	KX31/28/00/6	KX31/28/00/7			
plain	matt	KX31/28/10/1	KX31/28/10/2	KX31/28/10/3	KX31/28/10/4	KX31/28/10/5	KX31/28/10/6	KX31/28/10/7			
with point	standard	KX31/28/04/1	KX31/28/04/2	KX31/28/04/3	KX31/28/04/4	KX31/28/04/5	KX31/28/04/6	KX31/28/04/7			
	matt	KX31/28/14/1	KX31/28/14/2	KX31/28/14/3	KX31/28/14/4	KX31/28/14/5	KX31/28/14/6	KX31/28/14/7			

		Curved Cap for 28mm Knobs							
	<u> </u>	light grey	dark grey	black	red	blue	yellow	green	
nere de la	standard	KX32/28/00/1	KX32/28/00/2	KX32/28/00/3	KX32/28/00/4	KX32/28/00/5	KX32/28/00/6	KX32/28/00/7	
plain	matt	KX32/28/10/1	KX32/28/10/2	KX32/28/10/3	KX32/28/10/4	KX32/28/10/5	KX32/28/10/6	KX32/28/10/7	
			331						
with line	standard	KX32/28/01/1	KX32/28/01/2	KX32/28/01/3	KX32/28/01/4	KX32/28/01/5	KX32/28/01/6	KX32/28/01/7	
with line	matt	KX32/28/11/1	KX32/28/11/2	KX32/28/11/3	KX32/28/11/4	KX32/28/11/5	KX32/28/11/6	KX32/28/11/7	

	1	Flat Cap with Aluminium Disk for 28mm Knobs						
		light grey ring	dark grey ring	black ring	red ring			
plain	standard	KX35/28/00/1	KX35/28/00/2	KX35/28/00/3	KX35/28/00/4			
Piaili	matt	KX35/28/10/1	KX35/28/10/2	KX35/28/10/3	KX35/28/10/4			
) B	L. Bally	短した。			
with line	standard	KX35/28/01/1	KX35/28/01/2	KX35/28/01/3	KX35/28/01/4			
with the	matt	KX35/28/11/1	KX35/28/11/2	KX35/28/11/3	KX35/28/11/4			

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 36mm Knob

					36mm	Knob			
			no	line		with line			
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
etandard	6	KX20/36/60/1	KX20/36/60/2	KX20/36/60/3	KX20/36/60/4	KX21/36/60/1	KX21/36/60/2	KX21/36/60/3	KX21/36/60/4
standard -	1/4"	KX20/36/61/1	KX20/36/61/2	KX20/36/61/3	KX20/36/61/4	KX21/36/61/1	KX21/36/61/2	KX21/36/61/3	KX21/36/61/4
matt	6	KX26/36/60/1	KX26/36/60/2	KX26/36/60/3	KX26/36/60/4	KX27/36/60/1	KX27/36/60/2	KX27/36/60/3	KX27/36/60/4
matt	1/4"	KX26/36/61/1	KX26/36/61/2	KX26/36/61/3	KX26/36/61/4	KX27/36/61/1	KX27/36/61/2	KX27/36/61/3	KX27/36/61/4

			36mm Wing Knob									
			no	no line with line								
- Carrier	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red			
otan dard	6	KX22/36/60/1	KX22/36/60/2	KX22/36/60/3	KX22/36/60/4	KX23/36/60/1	KX23/36/60/2	KX23/36/60/3	KX23/36/60/4			
standard -	1/4"	KX22/36/61/1	KX22/36/61/2	KX22/36/61/3	KX22/36/61/4	KX23/36/61/1	KX23/36/61/2	KX23/36/61/3	KX23/36/61/4			
800 100 H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				on tede tede Skole		4088H			4			
20044	6	KX28/36/60/1	KX28/36/60/2	KX28/36/60/3	KX28/36/60/4	KX29/36/60/1	KX29/36/60/2	KX29/36/60/3	KX29/36/60/4			
matt	1/4"	KX28/36/61/1	KX28/36/61/2	KX28/36/61/3	KX28/36/61/4	KX29/36/61/1	KX29/36/61/2	KX29/36/61/3	KX29/36/61/4			

188			F	lat Cap	for 36m	m Knol	os	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX30/36/00/1	KX30/36/00/2	KX30/36/00/3	KX30/36/00/4	KX30/36/00/5	KX30/36/00/6	KX30/36/00/7
piairi	matt	KX30/36/10/1	KX30/36/10/2	KX30/36/10/3	KX30/36/10/4	KX30/36/10/5	KX30/36/10/6	KX30/36/10/7
	4 2 4 1	## 	i le			TV IIII		III 8814
with line	standard	KX30/36/01/1	KX30/36/01/2	KX30/36/01/3	KX30/36/01/4	KX30/36/01/5	KX30/36/01/6	KX30/36/01/7
with line	matt	KX30/36/11/1	KX30/36/11/2	KX30/36/11/3	KX30/36/11/4	KX30/36/11/5	KX30/36/11/6	KX30/36/11/7
	standard	KX30/36/02/1	KX30/36/02/2	KX30/36/02/3	KX30/36/02/4	KX30/36/02/5	KX30/36/02/6	KX30/36/02/7
with curved arrow	matt	KX30/36/12/1	KX30/36/12/2	KX30/36/12/3	KX30/36/12/4	KX30/36/12/5	KX30/36/12/6	KX30/36/12/7
	3388			8. 山龙			Ulife in	11138
with arrow	standard	KX30/36/03/1	KX30/36/03/2	KX30/36/03/3	KX30/36/03/4	KX30/36/03/5	KX30/36/03/6	KX30/36/03/7
	matt	KX30/36/13/1	KX30/36/13/2	KX30/36/13/3	KX30/36/13/4	KX30/36/13/5	KX30/36/13/6	KX30/36/13/7

			Prisi	matic C	ap for 3	6mm K	nobs	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX31/36/00/1	KX31/36/00/2	KX31/36/00/3	KX31/36/00/4	KX31/36/00/5	KX31/36/00/6	KX31/36/00/7
piain	matt	KX31/36/10/1	KX31/36/10/2	KX31/36/10/3	KX31/36/10/4	KX31/36/10/5	KX31/36/10/6	KX31/36/10/7
	_							
with point	standard	KX31/36/04/1	KX31/36/04/2	KX31/36/04/3	KX31/36/04/4	KX31/36/04/5	KX31/36/04/6	KX31/36/04/7
with point	matt	KX31/36/14/1	KX31/36/14/2	KX31/36/14/3	KX31/36/14/4	KX31/36/14/5	KX31/36/14/6	KX31/36/14/7

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 36mm Knob cont.

			Cur	ved Ca	p for 36	mm Kn	obs			
		light grey	ht grey dark grey black red blue yellow green							
nloin	standard	KX32/36/00/1	KX32/36/00/2	KX32/36/00/3	KX32/36/00/4	KX32/36/00/5	KX32/36/00/6	KX32/36/00/7		
plain	matt	KX32/36/10/1	KX32/36/10/2	KX32/36/10/3	KX32/36/10/4	KX32/36/10/5	KX32/36/10/6	KX32/36/10/7		
with line	standard	KX32/36/01/1	KX32/36/01/2	KX32/36/01/3	KX32/36/01/4	KX32/36/01/5	KX32/36/01/6	KX32/36/01/7		
with line	matt	KX32/36/11/1	KX32/36/11/2	KX32/36/11/3	KX32/36/11/4	KX32/36/11/5	KX32/36/11/6	KX32/36/11/7		

dark grey ring (X35/36/00/2	black ring KX35/36/00/3	red ring
(X35/36/00/2	KX35/36/00/3	KY35/36/00/4
		NA33/30/00/4
(X35/36/10/2	KX35/36/10/3	KX35/36/10/4
(X35/36/01/2	KX35/36/01/3	KX35/36/01/4
(X35/36/11/2	KX35/36/11/3	KX35/36/11/4
		212 1550



RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 45mm Knob

					45mm	Knob				
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
standard	6	KX20/45/60/1	KX20/45/60/2	KX20/45/60/3	KX20/45/60/4	KX21/45/60/1	KX21/45/60/2	KX21/45/60/3	KX21/45/60/4	
standard -	1/4"	KX20/45/61/1	KX20/45/61/2	KX20/45/61/3	KX20/45/61/4	KX21/45/61/1	KX21/45/61/2	KX21/45/61/3	KX21/45/61/4	
matt	6	KX26/45/60/1	KX26/45/60/2	KX26/45/60/3	KX26/45/60/4	KX27/45/60/1	KX27/45/60/2	KX27/45/60/3	KX27/45/60/4	
matt	1/4"	KX26/45/61/1	KX26/45/61/2	KX26/45/61/3	KX26/45/61/4	KX27/45/61/1	KX27/45/61/2	KX27/45/61/3	KX27/45/61/4	

			F	lat Cap	for 45m	m Knol	bs	
		light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX30/45/00/1	KX30/45/00/2	KX30/45/00/3	KX30/45/00/4	KX30/45/00/5	KX30/45/00/6	KX30/45/00/7
Plant	matt	KX30/45/10/1	KX30/45/10/2	KX30/45/10/3	KX30/45/10/4	KX30/45/10/5	KX30/45/10/6	KX30/45/10/
					100 100 100 100 100 100 100 100 100 100			
with line	standard	KX30/45/01/1	KX30/45/01/2	KX30/45/01/3	KX30/45/01/4	KX30/45/01/5	KX30/45/01/6	KX30/45/01/
with line	matt	KX30/45/11/1	KX30/45/11/2	KX30/45/11/3	KX30/45/11/4	KX30/45/11/5	KX30/45/11/6	KX30/45/11/
	50000		er (i.e., minet)	State 18				100
	standard	KX30/45/02/1	KX30/45/02/2	KX30/45/02/3	KX30/45/02/4	KX30/45/02/5	KX30/45/02/6	KX30/45/02/
with curved arrow	matt	KX30/45/12/1	KX30/45/12/2	KX30/45/12/3	KX30/45/12/4	KX30/45/12/5	KX30/45/12/6	KX30/45/12/
S. Linds Sale in		1111	. H ::	v e	## #	4. 44 4		
	standard	KX30/45/03/1	KX30/45/03/2	KX30/45/03/3	KX30/45/03/4	KX30/45/03/5	KX30/45/03/6	KX30/45/03/
with arrow	matt	KX30/45/13/1	KX30/45/13/2	KX30/45/13/3	KX30/45/13/4	KX30/45/13/5	KX30/45/13/6	KX30/45/13/
	بالزية إ	E 8	The state of the s				A. III	

	the dress	71.	Cur	ved Ca	p for 45	mm Kn	obs	
	alidel B	light grey	dark grey	black	red	blue	yellow	green
plain	standard	KX32/45/00/1	KX32/45/00/2	KX32/45/00/3	KX32/45/00/4	KX32/45/00/5	KX32/45/00/6	KX32/45/00/7
Plant South	matt	KX32/45/10/1	KX32/45/10/2	KX32/45/10/3	KX32/45/10/4	KX32/45/10/5	KX32/45/10/6	KX32/45/10/7
	Las Pilla					思 響		
with line	standard	KX32/45/01/1	KX32/45/01/2	KX32/45/01/3	KX32/45/01/4	KX32/45/01/5	KX32/45/01/6	KX32/45/01/7
. with line	matt	KX32/45/11/1	KX32/45/11/2	KX32/45/11/3	KX32/45/11/4	KX32/45/11/5	KX32/45/11/6	KX32/45/11/7

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 15mm Short Knob

Ritel short control knobs have lengths reduced by about 20% compared to the standard knobs in the range. The short knobs are mounted using a commercial hexagonal box spanner, unless indicated as having a 'screw' rather than a 'nut' fitting, in which case they are mounted using either an ordinary screwdriver or a Phillips screwdriver. All accessories are usable with these short knobs. Please note that for caps for any 15mm short knobs, please add "BV 204" to the normal cap part number appearing on page 7.

				15mm \$	Short K	nob wit	h screw		
			no	line			with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
	3	KX60/15/30/1	KX60/15/30/2	KX60/15/30/3	KX60/15/30/4	KX61/15/30/1	KX61/15/30/2	KX61/15/30/3	KX61/15/30/
10000000	1/8"	KX60/15/31/1	KX60/15/31/2	KX60/15/31/3	KX60/15/31/4	KX61/15/31/1	KX61/15/31/2	KX61/15/31/3	KX61/15/31/4
standard	4	KX60/15/40/1	KX60/15/40/2	KX60/15/40/3	KX60/15/40/4	KX61/15/40/1	KX61/15/40/2	KX61/15/40/3	KX61/15/40/4
	6	KX60/15/60/1	KX60/15/60/2	KX60/15/60/3	KX60/15/60/4	KX61/15/60/1	KX61/15/60/2	KX61/15/60/3	KX61/15/60/4
	1/4"	KX60/15/61/1	KX60/15/61/2	KX60/15/61/3	KX60/15/61/4	KX61/15/61/1	KX61/15/61/2	KX61/15/61/3	KX61/15/61/4
			5. ISB	Siile e.	.16s - 88				.35
8.88 L	3	KX66/15/30/1	KX66/15/30/2	KX66/15/30/3	KX66/15/30/4	KX67/15/30/1	KX67/15/30/2	KX67/15/30/3	KX67/15/30/
	1/8"	KX66/15/31/1	KX66/15/31/2	KX66/15/31/3	KX66/15/31/4	KX67/15/31/1	KX67/15/31/2	KX67/15/31/3	KX67/15/31/4
matt	4	KX66/15/40/1	KX66/15/40/2	KX66/15/40/3	KX66/15/40/4	KX67/15/40/1	KX67/15/40/2	KX67/15/40/3	KX67/15/40/4
enge Stand	6	KX66/15/60/1	KX66/15/60/2	KX66/15/60/3	KX66/15/60/4	KX67/15/60/1	KX67/15/60/2	KX67/15/60/3	KX67/15/60/4
	1/4"	KX66/15/61/1	KX66/15/61/2	KX66/15/61/3	KX66/15/61/4	KX67/15/61/1	KX67/15/61/2	KX67/15/61/3	KX67/15/61/4
88333		1111	3 199		: 337		1981	77 08 38 3	

4.0000000000000000000000000000000000000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		~				A DATE OF THE RESERVE OF THE PERSON NAMED IN COLUMN 1		em emperation and a
1.000			15	mm Sho	ort Wing	Knob	with scr	ew	\$ 1815
	- \$5 V III		no	line	1 40		with	line	
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
33.40	3	KX62/15/30/1	KX62/15/30/2	KX62/15/30/3	KX62/15/30/4	KX63/15/30/1	KX63/15/30/2	KX63/15/30/3	KX63/15/30/4
1000	1/8"	KX62/15/31/1	KX62/15/31/2	KX62/15/31/3	KX62/15/31/4	KX63/15/31/1	KX63/15/31/2	KX63/15/31/3	KX63/15/31/4
standard	4	KX62/15/40/1	KX62/15/40/2	KX62/15/40/3	KX62/15/40/4	KX63/15/40/1	KX63/15/40/2	KX63/15/40/3	KX63/15/40/4
:1.	6	KX62/15/60/1	KX62/15/60/2	KX62/15/60/3	KX62/15/60/4	KX63/15/60/1	KX63/15/60/2	KX63/15/60/3	KX63/15/60/4
	1/4"	KX62/15/61/1	KX62/15/61/2	KX62/15/61/3	KX62/15/61/4	KX63/15/61/1	KX63/15/61/2	KX63/15/61/3	KX63/15/61/4
	0.70000	(B)	1000	•	11				
	3	KX68/15/30/1	KX68/15/30/2	KX68/15/30/3	KX68/15/30/4	KX69/15/30/1	KX69/15/30/2	KX69/15/30/3	KX69/15/30/4
	1/8"	KX68/15/31/1	KX68/15/31/2	KX68/15/31/3	KX68/15/31/4	KX69/15/31/1	KX69/15/31/2	KX69/15/31/3	KX69/15/31/4
matt	4	KX68/15/40/1	KX68/15/40/2	KX68/15/40/3	KX68/15/40/4	KX69/15/40/1	KX69/15/40/2	KX69/15/40/3	KX69/15/40/4
	6	KX68/15/60/1	KX68/15/60/2	KX68/15/60/3	KX68/15/60/4	KX69/15/60/1	KX69/15/60/2	KX69/15/60/3	KX69/15/60/4
	1/4"	KX68/15/61/1	KX68/15/61/2	KX68/15/61/3	KX68/15/61/4	KX69/15/61/1	KX69/15/61/2	KX69/15/61/3	KX69/15/61/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 15mm Short Knob cont.

				15mm	Short I	Knob w	ith nut			
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX60/15/36/1	KX60/15/36/2	KX60/15/36/3	KX60/15/36/4	KX61/15/36/1	KX61/15/36/2	KX61/15/36/3	KX61/15/36/4	
	1/8"	KX60/15/37/1	KX60/15/37/2	KX60/15/37/3	KX60/15/37/4	KX61/15/37/1	KX61/15/37/2	KX61/15/37/3	KX61/15/37/4	
standard	4	KX60/15/46/1	KX60/15/46/2	KX60/15/46/3	KX60/15/46/4	KX61/15/46/1	KX61/15/46/2	KX61/15/46/3	KX61/15/46/4	
	6	KX60/15/70/1	KX60/15/70/2	KX60/15/70/3	KX60/15/70/4	KX61/15/70/1	KX61/15/70/2	KX61/15/70/3	KX61/15/70/4	
	1/4″	KX60/15/71/1	KX60/15/71/2	KX60/15/71/3	KX60/15/71/4	KX61/15/71/1	KX61/15/71/2	KX61/15/71/3	KX61/15/71/4	
	3	KX66/15/36/1	KX66/15/36/2	KX66/15/36/3	KX66/15/36/4	KX67/15/36/1	KX67/15/36/2	KX67/15/36/3	KX67/15/36/4	
	1/8″	KX66/15/37/1	KX66/15/37/2	KX66/15/37/3	KX66/15/37/4	KX67/15/37/1	KX67/15/37/2	KX67/15/37/3	KX67/15/37/4	
matt	4	KX66/15/46/1	KX66/15/46/2	KX66/15/46/3	KX66/15/46/4	KX67/15/46/1	KX67/15/46/2	KX67/15/46/3	KX67/15/46/4	
	6	KX66/15/70/1	KX66/15/70/2	KX66/15/70/3	KX66/15/70/4	KX67/15/70/1	KX67/15/70/2	KX67/15/70/3	KX67/15/70/4	
	1/4"	KX66/15/71/1	KX66/15/71/2	KX66/15/71/3	KX66/15/71/4	KX67/15/71/1	KX67/15/71/2	KX67/15/71/3	KX67/15/71/4	

Killii —			1	5mm SI	nort Wir	ng Knob	with n	ut	all a
Mill as	usaliai (5182	no	line	SW- and	with line			
138 113	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
1000	3	KX62/15/36/1	KX62/15/36/2	KX62/15/36/3	KX62/15/36/4	KX63/15/36/1	KX63/15/36/2	KX63/15/36/3	KX63/15/36/4
Se mad	1/8"	KX62/15/37/1	KX62/15/37/2	KX62/15/37/3	KX62/15/37/4	KX63/15/37/1	KX63/15/37/2	KX63/15/37/3	KX63/15/37/4
standard	4	KX62/15/46/1	KX62/15/46/2	KX62/15/46/3	KX62/15/46/4	KX63/15/46/1	KX63/15/46/2	KX63/15/46/3	KX63/15/46/4
	6	KX62/15/70/1	KX62/15/70/2	KX62/15/70/3	KX62/15/70/4	KX63/15/70/1	KX63/15/70/2	KX63/15/70/3	KX63/15/70/4
gusiki.	1/4"	KX62/15/71/1	KX62/15/71/2	KX62/15/71/3	KX62/15/71/4	KX63/15/71/1	KX63/15/71/2	KX63/15/71/3	KX63/15/71/4
	301.31				F : 2005		134.41		<u> </u>
	3	KX68/15/36/1	KX68/15/36/2	KX68/15/36/3	KX68/15/36/4	KX69/15/36/1	KX69/15/36/2	KX69/15/36/3	KX69/15/36/4
	1/8"	KX68/15/37/1	KX68/15/37/2	KX68/15/37/3	KX68/15/37/4	KX69/15/37/1	KX69/15/37/2	KX69/15/37/3	KX69/15/37/4
matt	4	KX68/15/46/1	KX68/15/46/2	KX68/15/46/3	KX68/15/46/4	KX69/15/46/1	KX69/15/46/2	KX69/15/46/3	KX69/15/46/4
	6	KX68/15/70/1	KX68/15/70/2	KX68/15/70/3	KX68/15/70/4	KX69/15/70/1	KX69/15/70/2	KX69/15/70/3	KX69/15/70/4
- die	1/4"	KX68/15/71/1	KX68/15/71/2	KX68/15/71/3	KX68/15/71/4	KX69/15/71/1	KX69/15/71/2	KX69/15/71/3	KX69/15/71/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 21 - 36mm Short Knob

				2	1mm Sh	ort Kno	b			
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX60/21/36/1	KX60/21/36/2	KX60/21/36/3	KX60/21/36/4	KX61/21/36/1	KX61/21/36/2	KX61/21/36/3	KX61/21/36/4	
	1/8"	KX60/21/37/1	KX60/21/37/2	KX60/21/37/3	KX60/21/37/4	KX61/21/37/1	KX61/21/37/2	KX61/21/37/3	KX61/21/37/4	
standard	4	KX60/21/46/1	KX60/21/46/2	KX60/21/46/3	KX60/21/46/4	KX61/21/46/1	KX61/21/46/2	KX61/21/46/3	KX61/21/46/4	
	6	KX60/21/76/1	KX60/21/76/2	KX60/21/76/3	KX60/21/76/4	KX61/21/76/1	KX61/21/76/2	KX61/21/76/3	KX61/21/76/4	
	1/4″	KX60/21/75/1	KX60/21/75/2	KX60/21/75/3	KX60/21/75/4	KX61/21/75/1	KX61/21/75/2	KX61/21/75/3	KX61/21/75/4	
	3	KX66/21/36/1	KX66/21/36/2	KX66/21/36/3	KX66/21/36/4	KX67/21/36/1	KX67/21/36/2	KX67/21/36/3	KX67/21/36/4	
	1/8″	KX66/21/37/1	KX66/21/37/2	KX66/21/37/3	KX66/21/37/4	KX67/21/37/1	KX67/21/37/2	KX67/21/37/3	KX67/21/37/4	
matt	4	KX66/21/46/1	KX66/21/46/2	KX66/21/46/3	KX66/21/46/4	KX67/21/46/1	KX67/21/46/2	KX67/21/46/3	KX67/21/46/4	
	6	KX66/21/76/1	KX66/21/76/2	KX66/21/76/3	KX66/21/76/4	KX67/21/76/1	KX67/21/76/2	KX67/21/76/3	KX67/21/76/4	
	1/4"	KX66/21/75/1	KX66/21/75/2	KX66/21/75/3	KX66/21/75/4	KX67/21/75/1	KX67/21/75/2	KX67/21/75/3	KX67/21/75/4	

William.		28mm Short Knob									
THE LESS		no line			99. HS	with line					
138 119	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red		
108	4	KX60/28/46/1	KX60/28/46/2	KX60/28/46/3	KX60/28/46/4	KX61/28/46/1	KX61/28/46/2	KX61/28/46/3	KX61/28/46/4		
standard	6	KX60/28/76/1	KX60/28/76/2	KX60/28/76/3	KX60/28/76/4	KX61/28/76/1	KX61/28/76/2	KX61/28/76/3	KX61/28/76/4		
	1/4"	KX60/28/75/1	KX60/28/75/2	KX60/28/75/3	KX60/28/75/4	KX61/28/75/1	KX61/28/75/2	KX61/28/75/3	KX61/28/75/4		
1 4881111				نتار الأولى	1 1 1 1 E	11.00		18888			
susibili	4	KX66/28/46/1	KX66/28/46/2	KX66/28/46/3	KX66/28/46/4	KX67/28/46/1	KX67/28/46/2	KX67/28/46/3	KX67/28/46/4		
matt	6	KX66/28/76/1	KX66/28/76/2	KX66/28/76/3	KX66/28/76/4	KX67/28/76/1	KX67/28/76/2	KX67/28/76/3	KX67/28/76/4		
	1/4"	KX66/28/75/1	KX66/28/75/2	KX66/28/75/3	KX66/28/75/4	KX67/28/75/1	KX67/28/75/2	KX67/28/75/3	KX67/28/75/4		
		III &					THE USE OF	8: 884.116			

		36mm Short Knob										
799			no	line		with line						
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red			
etandard	6	KX60/36/76/1	KX60/36/76/2	KX60/36/76/3	KX60/36/76/4	KX61/36/76/1	KX61/36/76/2	KX61/36/76/3	KX61/36/76/4			
standard	1/4"	KX60/36/75/1	KX60/36/75/2	KX60/36/75/3	KX60/36/75/4	KX61/36/75/1	KX61/36/75/2	KX61/36/75/3	KX61/36/75/4			
matt	6	KX66/36/76/1	KX66/36/76/2	KX66/36/76/3	KX66/36/76/4	KX67/36/76/1	KX67/36/76/2	KX67/36/76/3	KX67/36/76/4			
matt	1/4"	KX66/36/75/1	KX66/36/75/2	KX66/36/75/3	KX66/36/75/4	KX67/36/75/1	KX67/36/75/2	KX67/36/75/3	KX67/36/75/4			

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 21 - 36mm Short Wing Knob

				21m	m Short	t Wing k	Cnob			
			no	line		with line				
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red	
	3	KX62/21/36/1	KX62/21/36/2	KX62/21/36/3	KX62/21/36/4	KX63/21/36/1	KX63/21/36/2	KX63/21/36/3	KX63/21/36/4	
	1/8"	KX62/21/37/1	KX62/21/37/2	KX62/21/37/3	KX62/21/37/4	KX63/21/37/1	KX63/21/37/2	KX63/21/37/3	KX63/21/37/4	
standard	4	KX62/21/46/1	KX62/21/46/2	KX62/21/46/3	KX62/21/46/4	KX63/21/46/1	KX63/21/46/2	KX63/21/46/3	KX63/21/46/4	
	6	KX62/21/76/1	KX62/21/76/2	KX62/21/76/3	KX62/21/76/4	KX63/21/76/1	KX63/21/76/2	KX63/21/76/3	KX63/21/76/4	
	1/4″	KX62/21/75/1	KX62/21/75/2	KX62/21/75/3	KX62/21/75/4	KX63/21/75/1	KX63/21/75/2	KX63/21/75/3	KX63/21/75/4	
	3	KX68/21/36/1	KX68/21/36/2	KX68/21/36/3	KX68/21/36/4	KX69/21/36/1	KX69/21/36/2	KX69/21/36/3	KX69/21/36/4	
	1/8"	KX68/21/37/1	KX68/21/37/2	KX68/21/37/3	KX68/21/37/4	KX69/21/37/1	KX69/21/37/2	KX69/21/37/3	KX69/21/37/4	
matt	4	KX68/21/46/1	KX68/21/46/2	KX68/21/46/3	KX68/21/46/4	KX69/21/46/1	KX69/21/46/2	KX69/21/46/3	KX69/21/46/4	
	6	KX68/21/76/1	KX68/21/76/2	KX68/21/76/3	KX68/21/76/4	KX69/21/76/1	KX69/21/76/2	KX69/21/76/3	KX69/21/76/4	
17W H	1/4"	KX68/21/75/1	KX68/21/75/2	KX68/21/75/3	KX68/21/75/4	KX69/21/75/1	KX69/21/75/2	KX69/21/75/3	KX69/21/75/4	

giilii i			sales in	28m	m Short	Wing k	Snob		all a
THE HE		10.00	no	line	93 miles	with line			
1138H 11195	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red
108	4	KX62/28/46/1	KX62/28/46/2	KX62/28/46/3	KX62/28/46/4	KX63/28/46/1	KX63/28/46/2	KX63/28/46/3	KX63/28/46/4
standard	6	KX62/28/76/1	KX62/28/76/2	KX62/28/76/3	KX62/28/76/4	KX63/28/76/1	KX63/28/76/2	KX63/28/76/3	KX63/28/76/4
Magnetic Control	1/4"	KX62/28/75/1	KX62/28/75/2	KX62/28/75/3	KX62/28/75/4	KX63/28/75/1	KX63/28/75/2	KX63/28/75/3	KX63/28/75/4
1 1000	H126			ناز الله	No. of the little	11.00		69933	
susible -	4	KX68/28/46/1	KX68/28/46/2	KX68/28/46/3	KX68/28/46/4	KX69/28/46/1	KX69/28/46/2	KX69/28/46/3	KX69/28/46/4
matt	6	KX68/28/76/1	KX68/28/76/2	KX68/28/76/3	KX68/28/76/4	KX69/28/76/1	KX69/28/76/2	KX69/28/76/3	KX69/28/76/4
	1/4"	KX68/28/75/1	KX68/28/75/2	KX68/28/75/3	KX68/28/75/4	KX69/28/75/1	KX69/28/75/2	KX69/28/75/3	KX69/28/75/4
					orangili91		ne user s	8: 884.110	

		36mm Short Wing Knob										
799		no line				with line						
	shaft Ø	light grey	dark grey	black	red	light grey	dark grey	black	red			
standard	6	KX62/36/76/1	KX62/36/76/2	KX62/36/76/3	KX62/36/76/4	KX63/36/76/1	KX63/36/76/2	KX63/36/76/3	KX63/36/76/4			
Stariuaru	1/4"	KX62/36/75/1	KX62/36/75/2	KX62/36/75/3	KX62/36/75/4	KX63/36/75/1	KX63/36/75/2	KX63/36/75/3	KX63/36/75/4			
matt	6	KX68/36/76/1	KX68/36/76/2	KX68/36/76/3	KX68/36/76/4	KX69/36/76/1	KX69/36/76/2	KX69/36/76/3	KX69/36/76/4			
matt	1/4″	KX68/36/75/1	KX68/36/75/2	KX68/36/75/3	KX68/36/75/4	KX69/36/75/1	KX69/36/75/2	KX69/36/75/3	KX69/36/75/4			

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 8 - 45mm Accessories

The Figure Dial, Arrow Dial, and Arrow skirts all have pins on the same face as the markings, and these skirts are attached to the knob by push fitting the pins into the holes in the underside of the knob. Glue may be used for a permanent fixing. The Stator has fixing pins on the opposite side to the markings. The sizes of these skirts are given in Ritel's catalogue.

		300	30°	36°	36°	60°	27°30′		
		\$ 9 L	2 1 15 W	(0 9 8 9 Y	\$ 9 L	(C) (D) (A) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D	\$ 1 13 to 100 0		
		0-11	1-12	0-9	1-10	0-5	1-13		
				F	igure Di	al			
	blank	0-11	1-12	0-9	1-10	0-5	1-13	curved arrow	line
8mm	KX46/08/00/0	KX46/08/01/0	KX46/08/02/0	KX46/08/03/0	KX46/08/04/0	KX46/08/05/0	KX46/08/06/0	KX46/08/10/0	KX46/08/11/0
10mm	KX46/10/00/0	KX46/10/01/0	KX46/10/02/0	KX46/10/03/0	KX46/10/04/0	KX46/10/05/0	KX46/10/06/0	KX46/10/10/0	KX46/10/11/0
13mm	KX46/13/00/0	KX46/13/01/0	KX46/13/02/0	KX46/13/03/0	KX46/13/04/0	KX46/13/05/0	KX46/13/06/0	KX46/13/10/0	KX46/13/11/0
15mm	KX46/15/00/0	KX46/15/01/0	KX46/15/02/0	KX46/15/03/0	KX46/15/04/0	KX46/15/05/0	KX46/15/06/0	KX46/15/10/0	KX46/15/11/0
21mm	KX46/21/00/0	KX46/21/01/0	KX46/21/02/0	KX46/21/03/0	KX46/21/04/0	KX46/21/05/0	KX46/21/06/0	KX46/21/10/0	KX46/21/11/0
28mm	KX46/28/00/0	KX46/28/01/0	KX46/28/02/0	KX46/28/03/0	KX46/28/04/0	KX46/28/05/0	KX46/28/06/0	KX46/28/10/0	KX46/28/11/0
36mm	KX46/36/00/0	KX46/36/01/0	KX46/36/02/0	KX46/36/03/0	KX46/36/04/0	KX46/36/05/0	KX46/36/06/0	KX46/36/10/0	KX46/36/11/0
45mm	KX46/45/00/0	KX46/45/01/0	KX46/45/02/0	KX46/45/03/0	KX46/45/04/0	KX46/45/05/0	KX46/45/06/0	KX46/45/10/0	KX46/45/11/0

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 8 - 45mm Accessories cont.

















					Arrov	w Dial			
		light grey with black arrow	dark grey with white arrow	black with white arrow	red with white arrow	light grey with black line	dark grey with white line	black with white line	red with white line
8mm	standard	KX45/08/01/1	KX45/08/01/2	KX45/08/01/3	KX45/08/01/4	KX45/08/02/1	KX45/08/02/2	KX45/08/02/3	KX45/08/02/4
Ollilli	matt	KX45/08/11/1	KX45/08/11/2	KX45/08/11/3	KX45/08/11/4	KX45/08/12/1	KX45/08/12/2	KX45/08/12/3	KX45/08/12/4
10mm	standard	KX45/10/01/1	KX45/10/01/2	KX45/10/01/3	KX45/10/01/4	KX45/10/02/1	KX45/10/02/2	KX45/10/02/3	KX45/10/02/4
23333	matt	KX45/10/11/1	KX45/10/11/2	KX45/10/11/3	KX45/10/11/4	KX45/10/12/1	KX45/10/12/2	KX45/10/12/3	KX45/10/12/4
13mm	standard	KX45/13/01/1	KX45/13/01/2	KX45/13/01/3	KX45/13/01/4	KX45/13/02/1	KX45/13/02/2	KX45/13/02/3	KX45/13/02/4
1311111	matt	KX45/13/11/1	KX45/13/11/2	KX45/13/11/3	KX45/13/11/4	KX45/13/12/1	KX45/13/12/2	KX45/13/12/3	KX45/13/12/4
	Supplied the	188	200		353	3888			
15mm	standard	KX45/15/01/1	KX45/15/01/2	KX45/15/01/3	KX45/15/01/4	KX45/15/02/1	KX45/15/02/2	KX45/15/02/3	KX45/15/02/4
1311111	matt	KX45/15/11/1	KX45/15/11/2	KX45/15/11/3	KX45/15/11/4	KX45/15/12/1	KX45/15/12/2	KX45/15/12/3	KX45/15/12/4
Š	SOUTH A				W E		4 W 1		1. 486
21mm	standard	KX45/21/01/1	KX45/21/01/2	KX45/21/01/3	KX45/21/01/4	KX45/21/02/1	KX45/21/02/2	KX45/21/02/3	KX45/21/02/
2110111	matt	KX45/21/11/1	KX45/21/11/2	KX45/21/11/3	KX45/21/11/4	KX45/21/12/1	KX45/21/12/2	KX45/21/12/3	KX45/21/12/4
<u>8119999</u> 81. – 18.	standard	KX45/28/01/1	KX45/28/01/2	KX45/28/01/3	KX45/28/01/4	KX45/28/02/1	KX45/28/02/2	KX45/28/02/3	KX45/28/02/4
28mm	matt	KX45/28/11/1	KX45/28/11/2	KX45/28/11/3	KX45/28/11/4	KX45/28/12/1	KX45/28/12/2	KX45/28/12/3	KX45/28/12/4
			HIN SE	Laborit 2	988833				
36mm	standard	KX45/36/01/1	KX45/36/01/2	KX45/36/01/3	KX45/36/01/4	KX45/36/02/1	KX45/36/02/2	KX45/36/02/3	KX45/36/02/4
30111111	matt	KX45/36/11/1	KX45/36/11/2	KX45/36/11/3	KX45/36/11/4	KX45/36/12/1	KX45/36/12/2	KX45/36/12/3	KX45/36/12/4
	B. (Sec.)								88 987
45mm	standard	KX45/45/01/1	KX45/45/01/2	KX45/45/01/3	KX45/45/01/4	KX45/45/02/1	KX45/45/02/2	KX45/45/02/3	KX45/45/02/
43111111	matt	KX45/45/11/1	KX45/45/11/2	KX45/45/11/3	KX45/45/11/4	KX45/45/12/1	KX45/45/12/2	KX45/45/12/3	KX45/45/12/4

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 8 - 45mm Accessories cont.





	Sta	ator
	grey with black marker	black with white marker
8mm	KX47/08/01/1	KX47/08/02/3
10mm	KX47/10/01/1	KX47/10/02/3
13mm	KX47/13/01/1	KX47/13/02/3
15mm	KX47/15/01/1	KX47/15/02/3
21mm	KX47/21/01/1	KX47/21/02/3
28mm	KX47/28/01/1	KX47/28/02/3
36mm	KX47/36/01/1	KX47/36/02/3
45mm	KX47/45/01/1	KX47/45/02/3

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY **ELLMAX ELECTRONICS LTD., LONDON** 8 - 45mm Accessories cont.















					Arrow			
		light grey	dark grey	black	red	blue	yellow	green
8mm	standard	KX40/08/00/1	KX40/08/00/2	KX40/08/00/3	KX40/08/00/4	KX40/08/00/5	KX40/08/00/6	KX40/08/00/
OIIIII	matt	KX40/08/10/1	KX40/08/10/2	KX40/08/10/3	KX40/08/10/4	KX40/08/10/5	KX40/08/10/6	KX40/08/10/
10mm	standard	KX40/10/00/1	KX40/10/00/2	KX40/10/00/3	KX40/10/00/4	KX40/10/00/5	KX40/10/00/6	KX40/10/00/
10111111	matt	KX40/10/10/1	KX40/10/10/2	KX40/10/10/3	KX40/10/10/4	KX40/10/10/5	KX40/10/10/6	KX40/10/10/
TORRE		0.0830180			1989			allina.
13mm	standard	KX40/13/00/1	KX40/13/00/2	KX40/13/00/3	KX40/13/00/4	KX40/13/00/5	KX40/13/00/6	KX40/13/00/
romin	matt	KX40/13/10/1	KX40/13/10/2	KX40/13/10/3	KX40/13/10/4	KX40/13/10/5	KX40/13/10/6	KX40/13/10/
				84h				
15mm	standard	KX40/15/00/1	KX40/15/00/2	KX40/15/00/3	KX40/15/00/4	KX40/15/00/5	KX40/15/00/6	KX40/15/00
13111111	matt	KX40/15/10/1	KX40/15/10/2	KX40/15/10/3	KX40/15/10/4	KX40/15/10/5	KX40/15/10/6	KX40/15/10
ARI .	1888	E E HILL					1111111	LINSII.
21mm	standard	KX40/21/00/1	KX40/21/00/2	KX40/21/00/3	KX40/21/00/4	KX40/21/00/5	KX40/21/00/6	KX40/21/00/
Z 111111	matt	KX40/21/10/1	KX40/21/10/2	KX40/21/10/3	KX40/21/10/4	KX40/21/10/5	KX40/21/10/6	KX40/21/10/
				ينتر نتود ر	and the	11.00	and the second	18383
20mm	standard	KX40/28/00/1	KX40/28/00/2	KX40/28/00/3	KX40/28/00/4	KX40/28/00/5	KX40/28/00/6	KX40/28/00
28mm	matt	KX40/28/10/1	KX40/28/10/2	KX40/28/10/3	KX40/28/10/4	KX40/28/10/5	KX40/28/10/6	KX40/28/10/
8			199		188		331118313	
36mm	standard	KX40/36/00/1	KX40/36/00/2	KX40/36/00/3	KX40/36/00/4	KX40/36/00/5	KX40/36/00/6	KX40/36/00
Somm	matt	KX40/36/10/1	KX40/36/10/2	KX40/36/10/3	KX40/36/10/4	KX40/36/10/5	KX40/36/10/6	KX40/36/10/
.316	5000	.s						miggii.
45mm	standard	KX40/45/00/1	KX40/45/00/2	KX40/45/00/3	KX40/45/00/4	KX40/45/00/5	KX40/45/00/6	KX40/45/00/
4011111	matt	KX40/45/10/1	KX40/45/10/2	KX40/45/10/3	KX40/45/10/4	KX40/45/10/5	KX40/45/10/6	KX40/45/10/

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON 10, 13, 15mm Accessories

The 21, 28, 36, and 45mm knobs have recesses for nuts. The following nut covers, which fit onto the underside of the knobs via pins, are available for the 10, 13, and 15mm knobs:

















		Nut Cover							
		light grey without line	dark grey without line	black without line	red without line	light grey with black line	dark grey with white line	black with white line	red with white line
10mm	standard	KX48/10/00/1	KX48/10/00/2	KX48/10/00/3	KX48/10/00/4	KX48/10/01/1	KX48/10/01/2	KX48/10/01/3	KX48/10/01/4
10mm	matt	KX48/10/10/1	KX48/10/10/2	KX48/10/10/3	KX48/10/10/4	KX48/10/11/1	KX48/10/11/2	KX48/10/11/3	KX48/10/11/4
with line	standard	NY SOLI	Name of the last	W. (1.22)	- OFFI	KX48/10/02/1	KX48/10/02/2	KX48/10/02/3	KX48/10/02/4
for wing knobs	matt	RITHE		78 186		KX48/10/12/1	KX48/10/12/2	KX48/10/12/3	KX48/10/12/4
13mm	standard	KX48/13/00/1	KX48/13/00/2	KX48/13/00/3	KX48/13/00/4	KX48/13/01/1	KX48/13/01/2	KX48/13/01/3	KX48/13/01/4
1311111	matt	KX48/13/10/1	KX48/13/10/2	KX48/13/10/3	KX48/13/10/4	KX48/13/11/1	KX48/13/11/2	KX48/13/11/3	KX48/13/11/4
with line	standard	Poste				KX48/13/02/1	KX48/13/02/2	KX48/13/02/3	KX48/13/02/4
for wing knobs	matt				V ba	KX48/13/12/1	KX48/13/12/2	KX48/13/12/3	KX48/13/12/4
	standard	KX48/15/00/1	KX48/15/00/2	KX48/15/00/3	KX48/15/00/4	KX48/15/01/1	KX48/15/01/2	KX48/15/01/3	KX48/15/01/4
15mm	matt	KX48/15/10/1	KX48/15/10/2	KX48/15/10/3	KX48/15/10/4	KX48/15/11/1	KX48/15/11/2	KX48/15/11/3	KX48/15/11/4
	200 YE		100			4.3		Harris I	III Hari
with line for wing	standard	liù.				KX48/15/02/1	KX48/15/02/2	KX48/15/02/3	KX48/15/02/4
knobs	matt	628111111	HIP AND	T JBJ P	1.54	KX48/15/12/1	KX48/15/12/2	KX48/15/12/3	KX48/15/12/4









		Nut Cover with arrow					
		light grey with arrow	dark grey with arrow	black with arrow	red with arrow		
10mm	standard	KX48/10/03/1	KX48/10/03/2	KX48/10/03/3	KX48/10/03/4		
1011111	matt	KX48/10/13/1	KX48/10/13/2	KX48/10/13/3	KX48/10/13/4		
with line	standard	KX48/10/04/1	KX48/10/04/2	KX48/10/04/3	KX48/10/04/4		
for wing knobs	matt	KX48/10/14/1	KX48/10/14/2	KX48/10/14/3	KX48/10/14/4		
15mm	standard	KX48/15/03/1	KX48/15/03/2	KX48/15/03/3	KX48/15/03/4		
1311111	matt	KX48/15/13/1	KX48/15/13/2	KX48/15/13/3	KX48/15/13/4		
with line for wing	standard	KX48/15/04/1	KX48/15/04/2	KX48/15/04/3	KX48/15/04/4		
knobs	matt	KX48/15/14/1	KX48/15/14/2	KX48/15/14/3	KX48/15/14/4		

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON Double Knobs with coaxial collets



All the various Ritel control knob part numbers are of the form 'ab cd ef g', where 'ab' is the knob design, 'cd' is the knob size, 'ef' is the collet type, and 'g' is the colour. For the double knob with coaxial collets, the upper knob is the standard unit (for the smaller of the two shafts) and so the part numbers for the upper knob and cap are as shown in the preceding pages. An intermediate cap between the two knobs has the part number shown on the next page. The lower knob has a collet (for the larger of the two shafts, and enabling the smaller shaft to pass through) with the code for the 'ef' section of the part number (i.e. the collet type) as shown below, and the rest of the lower knob part number is as shown in the preceding pages.

knob	shaft Ø	collet	
size	11.74	code	
- 4	3mm	36	
	1/8"	37	
13mm	4mm	46	
_~	6mm	70	
	1/4"	71	
4. 38	1777	- 100	
No. Section	3mm	36	
Se little a	1/8"	37	
15mm	4mm	46	
	6mm	70	
	1/4″	71	
	3mm	36	
	1/8"	37	
21-45mm	4mm	46	
	6mm	76	
	1/4"	75	
28-45mm	8mm	80*	
20-70HIII	10mm	10*	

^{*}not available for 28mm arrow knob

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON <u>Double Knobs with coaxial collets cont.</u>









			Intermediate Cap					
knob size	hole diameter		light grey	dark grey	black	red		
15mm	4.5	standard	KX38/15/00/1	KX38/15/00/2	KX38/15/00/3	KX38/15/00/4		
	4.5	matt	KX38/15/10/1	KX38/15/10/2	KX38/15/10/3	KX38/15/10/4		
21mm	6.5	standard	KX38/21/00/1	KX38/21/00/2	KX38/21/00/3	KX38/21/00/4		
21111111	0.5	matt	KX38/21/10/1	KX38/21/10/2	KX38/21/10/3	KX38/21/10/4		
28mm	6.5	standard	KX38/28/00/1	KX38/28/00/2	KX38/28/00/3	KX38/28/00/4		
2011111	0.5	matt	KX38/28/10/1	KX38/28/10/2	KX38/28/10/3	0/3 KX38/15/10/ 0/3 KX38/15/10/ 0/3 KX38/21/10/ 0/3 KX38/21/10/ 0/3 KX38/28/10/ 0/3 KX38/36/00/ 0/3 KX38/36/10/ 0/3 KX38/36/10/		
36mm	6.5	standard	KX38/36/00/1	KX38/36/00/2	KX38/36/00/3	KX38/36/00/4		
3011111	0.3	matt	KX38/36/10/1	KX38/36/10/2	KX38/36/10/3	KX38/36/10/4		
45mm	e E	standard	KX38/45/00/1	KX38/45/00/2	KX38/45/00/3	KX38/45/00/4		
45mm	6.5	matt	KX38/45/10/1	KX38/45/10/2	KX38/45/10/3	KX38/45/10/4		



RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON Push-On Knobs with matt finish

Push-on knobs have the advantage of being mounted quickly and they are also low-cost. All accessories may be used with Ritel's range of push-on control knobs. These push-on knobs come with matt finish only.

		Push-On Knobs with matt finish						
knob size	shaft Ø	light grey	black	light grey with line	black with line			
10mm	3	KX76/10/30/1	KX76/10/30/3	KX77/10/30/1	KX77/10/30/3			
TOTTITI	1/8"	KX76/10/31/1	KX76/10/31/3	KX77/10/31/1	KX77/10/31/3			
	4	KX76/10/40/1	KX76/10/40/3	KX77/10/40/1	KX77/10/40/3			
15mm	1/8"	KX76/15/31/1	KX76/15/31/3	KX77/15/31/1	KX77/15/31/3			
	4	KX76/15/40/1	KX76/15/40/3	KX77/15/40/1	KX77/15/40/3			
	6	KX76/15/60/1	KX76/15/60/3	KX77/15/60/1	KX77/15/60/3			
	1/4"	KX76/15/61/1	KX76/15/61/3	KX77/15/61/1	KX77/15/61/3			
William.			4.38	säille aa				
21mm	4	KX76/21/40/1	KX76/21/40/3	KX77/21/40/1	KX77/21/40/3			
2000	6	KX76/21/60/1	KX76/21/60/3	KX77/21/60/1	KX77/21/60/3			
188	1/4"	KX76/21/61/1	KX76/21/61/3	KX77/21/61/1	KX77/21/61/3			
\$ 100	3.0				## B : 4			
28mm	6	KX76/28/60/1	KX76/28/60/3	KX77/28/60/1	KX77/28/60/3			
2010111	1/4"	KX76/28/61/1	KX76/28/61/3	KX77/28/61/1	KX77/28/61/3			

RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON Soft-touch Knobs with matt finish

Ritel's soft-touch knobs come with either a single collet or a double collet. The soft-touch control knobs are based on the basic shape knobs with diameter 15, 21, 28, and 36mm. They come with or without lines, and their finish is matt only. 'ST' is added at the end of the basic shape knob part number to form the soft-touch knob part number. For example, a 15mm single collet soft-touch black knob with a 1/4" shaft size, with a line (and with a matt finish) has the part number KX27/15/61/3 ST.

All accessories may be used with Ritel's range of soft-touch knobs.

Special Knobs, including Conductive Knobs

Ritel produce various special knobs, such as conductive knobs which are used in motorised faders and controls, to suit customers' requirements. Please contact us for more information.




RANGE SUMMARY OF RITEL PRODUCTS, AS SUPPLIED BY ELLMAX ELECTRONICS LTD., LONDON General Accessories









box spanner				
slotted nut thread M10 x 0.75				
	thread 3/8-32	KX49/15/95/0		
locking device	for 6mm shaft (5.0mm diam. to flat [x1])	KX49/15/60/0		
available for knobs with diam. 21, 28, 36, & 45mm, and used for shafts with flat (i.e. D-shaped)	for 1/4" shaft (5.08mm diam. to flat [x ¹])	KX49/15/61/0		

4mm Terminals (10mm and 15mm)





	yellow	green	yellow
n o	r 15mr	n)	
9		e di li	
Ī			III Sali
	24	1.8.	# 60
	. 10		
	100		

		4mm Terminals (10mm or 15mm)								
size	3611	light grey	dark grey	black	red	blue	yellow	green	yellow and green	
10mm	standard	KX24/10/00/1	KX24/10/00/2	KX24/10/00/3	KX24/10/00/4	KX24/10/00/5	KX24/10/00/6	KX24/10/00/7	KX24/10/00/8	
(20A)	matt	KX24/10/10/1	KX24/10/10/2	KX24/10/10/3	KX24/10/10/4	KX24/10/10/5	KX24/10/10/6	KX24/10/10/7		
15mm (25A)	standard	KX24/15/00/1	KX24/15/00/2	KX24/15/00/3	KX24/15/00/4	KX24/15/00/5	KX24/15/00/6	KX24/15/00/7	KX24/15/00/8	
	matt	KX24/15/10/1	KX24/15/10/2	KX24/15/10/3	KX24/15/10/4	KX24/15/10/5	KX24/15/10/6	KX24/15/10/7		

For further details on Ritel products please contact:

Ellmax Electronics Ltd London, UK

Tel: 07986263085

Email: ellmaxelec@aol.com or ellmax@ellmaxelec.com

Web: www.ellmaxelec.com

